

Submission of E.C Half yearly compliance report, Oct-2025 to Mar-2026

Date: 31.07.2026

To
The Ministry of Environment, Forests and Climate Change,
Government of India, Regional office-(Southern Zone),
Kendriya Sadan, 5th Floor, E&F Wings,
17th Main Road, 2nd Block, Koramangala,
Bangalore-560034.

Subject: Submission of half yearly compliance report of RL Fine Chem Pvt. Ltd., Plot No. 1P-27-29, KIADB Industrial area, 1st Phase, Kudumalakunte Village, Gowribidanur Taluk, Chikkaballapura District – 561 208.

Ref: EC No. SEIAA 14 IND 2021 Dated: 25.05.2021

Dear Sir / Madam,

We are here with submitting the half yearly compliance report for the period of Oct-2025 to March-2026 for the Environmental Clearance (E.C) conditions. This is for your information and necessary record.

We kindly request you to find the same as mentioned above and acknowledge the receipt of the same.

C.C: 1. SEIAA, Karnataka.

2. CPCB Zonal Office, Bangalore.

3. KSPCB Regional Office, C.V. Anand Layout, Chikkaballapura.

Thank you.

Yours sincerely,

For R L Fine Chem Pvt. Ltd.,


Authorized signatory

R L Fine Chem Pvt. Ltd.

Phoenix Mall of Asia - Tower 2, Level 6, Unit 602, Yelahanka Hobli, Byatarayanapura, Bengaluru - 560 092.

☎ +91 80 6942 8000

✉ info@rlfinechem.com

CIN No. U24100KA2011PTC059846

🌐 www.rlfinechem.com

COMPLIANCE REPORT FOR THE ENVIRONMENTAL CLEARANCE

FOR

RL Fine Chem Pvt. Ltd.,
Plot No. IP 27-29, KIADB Industrial Area,
1st Phase, Kudumalakunte -Village,
Gowribidanur -Taluk,
Chikkaballapur - District,
Karnataka- State, India, Pin-561208.

Submitted to:

Ministry of Environment, Forests and Climate Change
Government of India,
Kendriya Sadan, 5th Floor, E&F Wings,
17th Main Road, 2nd Block, Koramangala,
Bangalore – 560034

Order No: SEIAA 14 IND 2021 Dated: 25.05.2021

E.C Conditions Half Yearly Compliance Status Report
(For the period of October -2025 to March -2026)

17	Dothiepin HCL	7200 Kg / month
18	Doxepin HCL	280 Kg / month
19	Doxylamine Succinate	5600 Kg / month
20	Duloxetine HCL	300 Kg / month
21	Flunarazine HCL	430 Kg / month
22	Flupentixol HCL	100 Kg / month
23	Imipramine HCL/ Desipramine HCL	1150 Kg / month
24	Lorazepam	250 Kg / month
25	Meclazine HCL	400 Kg / month
26	Melitracen HCL	1600 Kg / month
27	Nitrazepam	240 Kg / month
28	Opipramol HCL	400 Kg / month
29	Orphenadrine Citrate/ HCL	8000 Kg / month
30	Pitofeone HCL	1000 Kg / month
31	Pyrimethamine	3000 Kg / month
32	Sulfadoxine	2400 Kg / month
33	Sulfamethoxy Pyrazine HCL	4000 Kg / month
34	Tramadol HCL	5000 Kg / month
35	Trihexyphenadyl HCL	700 Kg / month
36	Trimipramine Mleate/ Mesylate	500 Kg / month
37	Pramoxine HCL	225 Kg / month
38	Amitriptyline N-Oxide	65 Kg / month
39	Atomoxetine HCL	2700 Kg / month
40	Chlorodapoxide HCL	2400 Kg / month
41	Clozapine	2640 Kg / month
42	Desvenlafaxine Succinate	2500 Kg / month
43	Ebastine	246 Kg / month
44	Flupententixol Deconate	2.5 Kg / month
45	Fluphenizine Deconate	15 Kg / month
46	Fluphenizine HCL	100 Kg / month
47	Haloperidol Deconate	50 Kg / month
48	Nortriptylene HCL	4560 Kg / month
49	Oxomemazine HCL	30 Kg / month
50	Pargeverine HCL	100 Kg / month
51	Sertraline	9030 Kg / month
52	Tenozepam	50 Kg / month
53	Valethamate Bromide	25 Kg / month
54	Venlafaxine HCL	6000 Kg / month
Total		122418.5
Total (20 Products)		110130

Note: From above list of products, any 20 products will be manufactured at a given point of time

Water Pollution:

Major water pollution sources: Production activity

Control Measures: Effluents are segregated at source itself as LTDS and HTDS, both effluents are channeled to ETP area by impervious lining separately. The HTDS effluents are treated in Solvent Stripper followed by MEE (Multiple Effective Evaporator) and ATFD. Condensate water are re used within the premises. The LTDS effluents are treated separately at ETP followed by R.O systems and water are reused within the premises.

Monitoring: Treated water analyses are carried out from external laboratory approved by MoEF, NABL; all the parameters are well within the stipulated standard as per PCB norms. Also we have provided electromagnetic flow meter and LP camera at discharge point as per CPCB guidelines for real time monitoring system.

Noise Pollution:

Major source for noise pollutions: D.G

Control Measures: Acoustic provided to D.G set as per guidelines.

Monitoring: Noise level monitoring are carried out from external laboratory approved by MoEF, NABL, all the parameters are well within the stipulated standards

Soil Pollution:

Major Source for Soil pollution: Chemical spillage

Control Measures: Adopted chemicals charging by vacuum method to avoid spillage and Acid proof tiles provided to prevent soil contamination.

Monitoring: Soil monitoring done during project activity. Soil testing doing periodically.

S.No	EC Conditions	Compliance Status
II. Air Quality monitoring and preservation		
1	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	24x7 continuous effluent monitoring system provided at site as per CPCB guidelines and CEMS is not applicable to pharmaceutical industries.
2	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Fugitive emissions are monitored every quarterly from external laboratory recognized by MOEF.
3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.	Ambient air quality is being monitored at four different locations once in every quarter as per the requirements. Analysis report of Ambient Air Quality report is attached as Annexure-IV
4	To control source and the fugitive emissions, suitable pollution or control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	We are not using coal fired boiler. But Pollutions control devices is installed and emission level is within stipulated value of the board. The gaseous emissions are dispersed through stack of adequate height as per CPCB guidelines. Stack monitoring is being done in every month. Analysis report of Ambient Air Quality report is attached as Annexure-V
5	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw materials are stored dedicated place inside the shed.
6	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.	Noted and followed the same.
7	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.	Agreed for the condition and followed the same.

3	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Noise level in premises within the standards. Report of the same is attached as Annexure-X
---	---	---

S.No	EC Conditions	Compliance Status
------	---------------	-------------------

V. Energy Conversation measures

1	The energy sources for lighting purposes shall preferably be LED based.	LED light is installed for energy saving purpose.
---	---	---

VI. Waste management

1	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Hazardous chemicals are stored in tank and flame arrestor are provided. Flameproof pump with mechanical seal is provided to avoid the leakage from pump. Flame arrester photo is attached as Annexure-XI
2	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF	i.) Process residue is disposed to authorized Incinerator facility authorized by KSPCB ii.) Inorganic salt is disposed to TSDF-Kalyan Karnataka Waste Management pvt. Ltd.
3	The company shall undertake waste minimization measures as below: - Metering and control of quantities of active ingredients to minimize waste. i.) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. Use of automated filling to minimize spillage. ii.) Use of Close Feed system into batch reactors. iii.) Venting equipment through vapor recovery system. iv.) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	i.) MCL is generated as a by-product during the process of manufacturing of Intermediate of Amitriptyline HCL which is sold-out to other industries where it can be used for the manufacture of secondary chemicals. ii.) Effective automated system is in place to avoid the spillages. iii.) Closed loop system is fixed to charge the raw materials to reactor. iv.) Double condenser with chilled water circulation is provided to reactor vent. v.) High pressure water jet pump is used for cleaning to reduce wastewater generation.

VII. Green Belt

1	The green belt of 5-10 m shall be developed in more than 33% of the total project area, mainly along the plant periphery in downwind direction, and along road sides etc. Selection of plant species as per the CPCB guidelines in consultation with state forest department.	Green belt developed near the boundaries of project area. Plantation done outside the factory premises also. Photocopy of the green belt area is attached as Annexure-XII
---	---	--

S.No	EC Conditions	Compliance Status
IX. Corporate Environment Responsibility		
1	The project authorities shall undertake activities under Corporate Environment responsibility (CER) with a total cost of not less than Rs.10 Lakhs towards Providing smart class facility to Govt Higher Primary school Halaganhalli and providing sanitation facility to Kudumalakunte village and Greenbelt Development in within the Industrial Area in accordance with the O.M.F. No.22-65/2017-IA.III dated 30th September 2020 and report be submitted to the Authority.	CER activities are planned and the report of the same will be submitted to authority after completion of activity.
2	The company shall have a well laid down environmental policy duly approve by the Board of directions. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental /forests/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation / violation of the environmental forests/ wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Company is having environmental policy approved by board of directors. And displayed at each location in the plant and policy is covering all the requirement as specified.
3	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Environment cell available at site and company head quarter level with qualified personnel.
4	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six-Monthly Compliance Report.	EMP and environmental condition action available and having separate fund to fulfil the same. Year wise progress report attached along with the compliance report as Annexure-XV .
5	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Self-environmental audit conducted annually, and report is submitted to concerned authorities. Third party environmental audit conducted on 06.10.2023 as per the requirement.

S.No	EC Conditions	Compliance Status
X. Miscellaneous		
8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Form-V is submitted to KSPCB-Regional office on 30.09.2025
9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Agreed for the condition. We have obtained the approval from KSCPb for production operation. Same been attached as Annexure-II
10	The project authorities must strictly adhere to the stipulations made by the state pollution control board and state government.	Agreed for the condition and following all the rules and regulation from state pollution control board and state government.
11	The project proponent shall abide by all the commitments and recommendations made in the EIA/ EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	We are following all the commitments and recommendation made in the EIA/EMP.
12	No further expansion or modifications in the plant shall be carried out without prior approval of this Authority or the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed for the condition. No further modification or expansion will be done without prior approval from the authority.
13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed for the condition.
14	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed for the condition.
15	The SEIAA reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	Agreed for the condition.

Annexure –I

CONSENT FOR ESTABLISHMENT [CFE]

HYDRO CONCEPT PVT. LTD.,
10th Floor, 2nd A, Kothari Industrial Estate,
1st Phase, K. K. Nagar, Bangalore 560076,
Karnataka-560076, India. Phone: 561234



Consent For Establishment -Expand (CFE-EXP)

Consent No. CTE-327231 Valid
upto: 24/05/2028

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: kspcb@gov.in

(This document contains 7 pages including annexure & excluding additional conditions)

Consent Order No: CTE-327231

PCB ID: 31702

Date: 30/09/2021

To,

The Applicant,

R L Fine Chem Pvt. Ltd.,

HIG, No.2000, Ray House,

Near Yelahanka New Town

Police Station, Yelahanka,

Bang

Sir,

Sub: Consent for Expansion of the unit in the Existing premises under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981

Ref: 1.CFE expansion application submitted by the organization on 23/11/2016 at Regional Office KSPCB

2.Inspection of the project site by Regional
Officer

on 22/07/2021

3.Proceedings of the CCM date 27/09/2021 held on 27/09/2021

With reference to the above, Karnataka State Pollution Control Board hereby accords **Consent for Expansion** of the unit in the existing premises under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the terms & conditions indicated in Schedule Annexed.

Location:

Name of the Industry: R L Fine Chem Pvt. Ltd.,

Address: 27-29, KIADB Industrial Area,

Industrial Area: gowribidanur I.A,

Gowribidanur,

Taluk: gowaribidanur,

District: Chikkaballapur

CONDITIONS:

1. The Consent for Expansion is granted considering the following activities:

Sr	Product Name	CFE Qty	CFO Qty	Applied Qty/Month	Units	Existing/Proposed
1	alimemazine tartrate	0.000	0.000 - KGS	0.000	KGS	Proposed
2	alimemazine tartrate	0.000	200.0000 - KGS	0.000	KGS	Proposed
3	alimemazine tartrate	0.000	0.000 - KGS	0.000	KGS	Proposed
4	alimemazine tartrate	0.000	0.000 - KGS	0.000	KGS	Proposed
5	alprazolam	40.0000	110.0000 - KGS	40.0000	KGS	Proposed
6	alprazolam	0.000	0.000 - KGS	0.000	KGS	Proposed
7	alprazolam	0.000	0.000 - KGS	0.000	KGS	Proposed
8	amitriptyline n-oxide	65.0000	0.000 - KGS	65.0000	KGS	Proposed
9	amitriptyline hydrochloride	10000.0000	10000.0000 - KGS	10000.0000	KGS	Proposed
10	atomoxetine hcl	2700.0000	0.000 - KGS	2700.0000	KGS	Proposed
11	bromazepam	0.000	0.000 - KGS	0.000	KGS	Proposed
12	bromazepam	0.000	60.0000 - KGS	0.000	KGS	Proposed
13	bromazepam	0.000	0.000 - KGS	0.000	KGS	Proposed
14	bucclazepam hcl	0.000	0.000 - KGS	0.000	KGS	Proposed
15	bucclazepam hcl	0.000	400.0000 - KGS	0.000	KGS	Proposed
16	bucclazepam hcl	0.000	0.000 - KGS	0.000	KGS	Proposed
17	carbamazepine	4000.0000	2000.0000 - KGS	4000.0000	KGS	Proposed
18	carbamazepine	0.000	0.000 - KGS	0.000	KGS	Proposed
19	carbinoxamine maleate	0.000	0.000 - KGS	0.000	KGS	Proposed
20	carbinoxamine maleate	0.000	700.0000 - KGS	0.000	KGS	Proposed
21	carbinoxamine maleate	0.000	0.000 - KGS	0.000	KGS	Proposed
22	chlorodipoxide hcl	2400.0000	0.000 - KGS	2400.0000	KGS	Proposed
23	chlorpromazine hcl	0.000	0.000 - KGS	0.000	KGS	Proposed
24	chlorpromazine hydro chloride	4850.0000	1150.0000 - KGS	4850.0000	KGS	Proposed
25	chlorpromazine hydrochloride	0.000	0.000 - KGS	0.000	KGS	Proposed
26	cinnarizine	7500.0000	2500.0000 - KGS	7500.0000	KGS	Proposed
27	cinnarizine	0.000	0.000 - KGS	0.000	KGS	Proposed
28	clonipramine hcl	900.0000	600.0000 - KGS	900.0000	KGS	Proposed
29	clonipramine hcl	0.000	0.000 - KGS	0.000	KGS	Proposed
30	clonazepam	70.0000	130.0000 - KGS	70.0000	KGS	Proposed
31	clonazepam	0.000	0.000 - KGS	0.000	KGS	Proposed
32	clobazepam	2640.0000	0.000 - KGS	2640.0000	KGS	Proposed
33	cyclobenzaprine hcl	0.000	0.000 - KGS	0.000	KGS	Proposed
34	cyclobenzaprine hcl	0.000	1150.0000 - KGS	0.000	KGS	Proposed



**Consent For Establishment-Expand
(CFE-EXP)**

Consent No. CTE-327231 Valid
upto: 24/05/2028

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

(This document contains 7 pages including annexure & excluding additional conditions)

3. The applicant shall not undertake further expansion/diversification without the prior consent of the Board.
4. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.

I. WATER CONSUMPTION:

1. The source of water shall be from KIADB, Recycled and shall obtain prior permission from the concerned authority. Total water consumption shall not exceed as indicated below:

Particulars	Water Consumption(KLD)	Water Discharge(KLD)	Water Source	Existing/Proposed
Boiler Feed	20.0	2.0	KIADB	Proposed
Cooling Water	52.0	3.0	Recycled	Proposed
Domestic Purpose	19.1	15.3	KIADB	Proposed
Manufacturing Processes	68.4	51.4	KIADB	Proposed
Others	10.0	10.0	Recycled	Proposed
Others	37.4	0.0	Recycled	Proposed
Others	0.0	6.8	KIADB	Proposed
Others	35.0	31.0	KIADB	Proposed
Others	5.0	5.0	KIADB	Proposed

II. WATER POLLUTION CONTROL:

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
2. The sewage/domestic effluent shall be treated in Septic Tank with Soak pit. No overflow from the soak pit is allowed. The septic tank and Soak pit shall be as per IS 2470 Part-I & Part-II.
3. The Effluent Treatment Plant proposal is generally agreeable and shall be constructed as per the specifications mentioned in the proposal and it shall consist of following units.
4. The industry shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.
5. If the treatment plant does not achieve the effluent standards stipulated in this consent order and/ or if it is found to be inadequate, then the industry shall have to modify the units so as to meet the standards with prior consent of the Board.
6. All the treatment units shall be totally impervious.
7. The applicant shall provide separate flow meter for measuring the quantity of effluents through ETP and separate energy meter and shall maintain a logbook for the verification of inspecting officers.
8. The applicant shall operate and maintain Treatment Plant continuously and maintain at all times to achieve the stipulated standards as per Annexure-I & also maintain regular log-books/operation records.
9. There shall not be any increase in generation of Domestic sewage due to proposed expansion.
10. There shall be no bypass or discharge of effluents either within or outside the factory premises under any circumstances.
11. There shall not be any discharge of untreated trade/domestic sewage inside/outside the industry premises.
12. The applicant shall explore the possibility of reducing freshwater consumption & adopt recycling/ reuse.



**Consent For Establishment -Expand
(CFE-EXP)**

Consent No. CTE-327231 Valid
upto: 24/05/2028

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: kspcb@gov.in

(This document contains 7 pages including annexure & excluding additional conditions)

5. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation.
6. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.
7. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
8. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement that is necessary for setting/operation of the plant.
9. The applicant shall furnish point wise compliance to the conditions given under this consent for establishment within 30 days.
10. The applicant shall take measures to develop green belt all along the periphery of the factory premises.
11. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
12. The applicant shall comply with all the Conditions and guidelines issued by the Board from time to time.

Please note that this is only consent for establishment issued to you to proceed with the formalities for expansion of the industry and does not give any right to proceed trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 78000

NOTE:

The Conditions Nil mentioned in the schedule are not applicable.

Additional Conditions:

- 1) The Occupier shall comply with all the additional terms and conditions stipulated in Annexure-I, II & III attached herewith.
- 2) This Consent order contains totally 16 pages including Annexure.
- 3) In case of name and discrepancy in the name and quantity of products indicated in this order, then the name and quantity of product indicated in EC Dated: 25/05/2021 prevails.

FOR AND ON BEHALF OF

KARNATAKA STATE POLLUTION CONTROL
BOARD

Encl.: Annexure-I & II.



**Consent For Establishment-Expand
(CFE-EXP)**

Consent No. CTE-327231 Valid
upto: 24/05/2028

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

(This document contains 7 pages including annexure & excluding additional conditions)

15	Reaction Process emission Vessels -1	9 PM(mg/NM3), SO2 (PPM), NOx(PPM)	0.0.0	Acid Mist- 35 mg/Nm3	PRT, SCR	Before commissioning.
----	---	--------------------------------------	-------	-------------------------	----------	--------------------------

Note:

SCR : Scrubber

PRT, SCR : Port Hole

PRT : Port Hole

PRT : Port Hole

DUS, PRT : Dust Collector

PRT, SCR : Port Hole

AEC, PRT : Acoustic Enclosures

AEC, PRT : Acoustic Enclosures

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all Chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameter downstream from any flow disturbance such as bend, expansion, contraction and visible flame. Further, the selected port has to be at least 2 stack/duct diameter before stack/duct exit or from any other flow disturbance. For rectangular stacks, an equivalent diameter can be calculated using following expression.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period.

3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.

4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

Signature Not Verified

Digitally signed by
Date: 2021.09.30 16:56:09
+05:30

Annexure –II

CONSENT FOR OPERATION [CFO]

For and on behalf of the Government of India
Minister of Health and Family Welfare
New Delhi

Date: 09.03.2026

To,
Environmental Officer
Karnataka State Pollution Control Board
Division, C.V. Anand Layout (Behind Railway Station),
Chikkaballapura - 562101.

Respected Sir,

Sub: Submission of CCO renewal application.

Ref:

1. Consent for Operation (CFO)-Consent No: AW-331810 dated 20/06/2022.
2. HWA with authorisation no 335569 dated 17.01.2023

With respect to above subject and references, M/s. RL Fine Chem Private Limited., has submitted CCO renewal application for manufacturing of Active Pharmaceutical Ingredients & Intermediates manufacturing unit at Plot Nos. 27 to 29, Gowribidanur KIADB Industrial, Gowribidanur Taluk, Chikkaballapur District, Karnataka.

- The investment for the proposed project is 92.05 CRORES.
- The proposed activity comes under LARGE and RED category as per the CPCB categorization.
- The existing consent is valid till 30/06/2026.
- The consent fee for the renewal is calculated for 5YEARS.
- The total investment is ₹92.05 crores. As per KSPCB Notification No. FEE 251 EPC 2016 (ii) dated 22.10.2021, for capital investment exceeding ₹50 crores but not exceeding ₹100 crores the consent fee is ₹1,50,000. Since the industry falls under both the Water Act and the Air Act the total consent fee payable is ₹15,00,000.

To fulfil the requirement to obtain CCO renewal the following enclosures submitted for your kind consideration.

List of documents uploaded are enclosed as Annexures.

SL NO	Document	Annexure number
1.	CA Certificate	Annexure-1
2.	CFO COPY	Annexure-2
3.	CFO Compliance	Annexure -3
4.	Monitoring report- Stacks, Water	Annexure- 4
5.	Form 5- Environmental statement	Annexure- 5
6.	Hazardous waste authorization	Annexure- 6

R L Fine Chem Pvt. Ltd.

Phoenix Mall of Asia - Tower 2, Level 6, Unit 602, Yelahanka Hobli, Byatarayanapura, Bengaluru - 560 092.

☎ +91 80 6942 8000

✉ info@rlfinechem.com

CIN No.: U24100KA2011PTC059846

🌐 www.rlfinechem.com

RL FINE CHEM PVT. LT
Plot No. IP-27-29, KIADB Industrial Ar
1st Phase, Kudumalakunta Village,
Gowribidanur Taluk, Chikkaballapur Dis
Karnataka - 560 092.

Annexure –III

**AUTHORIZATION OF HAZARDOUS & OTHER
WASTES MANAGEMENT**

WILSON CHEMICALS LTD.
10/10, 11/11, 12/12, 13/13, 14/14, 15/15, 16/16, 17/17, 18/18, 19/19, 20/20, 21/21, 22/22, 23/23, 24/24, 25/25, 26/26, 27/27, 28/28, 29/29, 30/30, 31/31, 32/32, 33/33, 34/34, 35/35, 36/36, 37/37, 38/38, 39/39, 40/40, 41/41, 42/42, 43/43, 44/44, 45/45, 46/46, 47/47, 48/48, 49/49, 50/50, 51/51, 52/52, 53/53, 54/54, 55/55, 56/56, 57/57, 58/58, 59/59, 60/60, 61/61, 62/62, 63/63, 64/64, 65/65, 66/66, 67/67, 68/68, 69/69, 70/70, 71/71, 72/72, 73/73, 74/74, 75/75, 76/76, 77/77, 78/78, 79/79, 80/80, 81/81, 82/82, 83/83, 84/84, 85/85, 86/86, 87/87, 88/88, 89/89, 90/90, 91/91, 92/92, 93/93, 94/94, 95/95, 96/96, 97/97, 98/98, 99/99, 100/100, 101/101, 102/102, 103/103, 104/104, 105/105, 106/106, 107/107, 108/108, 109/109, 110/110, 111/111, 112/112, 113/113, 114/114, 115/115, 116/116, 117/117, 118/118, 119/119, 120/120, 121/121, 122/122, 123/123, 124/124, 125/125, 126/126, 127/127, 128/128, 129/129, 130/130, 131/131, 132/132, 133/133, 134/134, 135/135, 136/136, 137/137, 138/138, 139/139, 140/140, 141/141, 142/142, 143/143, 144/144, 145/145, 146/146, 147/147, 148/148, 149/149, 150/150, 151/151, 152/152, 153/153, 154/154, 155/155, 156/156, 157/157, 158/158, 159/159, 160/160, 161/161, 162/162, 163/163, 164/164, 165/165, 166/166, 167/167, 168/168, 169/169, 170/170, 171/171, 172/172, 173/173, 174/174, 175/175, 176/176, 177/177, 178/178, 179/179, 180/180, 181/181, 182/182, 183/183, 184/184, 185/185, 186/186, 187/187, 188/188, 189/189, 190/190, 191/191, 192/192, 193/193, 194/194, 195/195, 196/196, 197/197, 198/198, 199/199, 200/200, 201/201, 202/202, 203/203, 204/204, 205/205, 206/206, 207/207, 208/208, 209/209, 210/210, 211/211, 212/212, 213/213, 214/214, 215/215, 216/216, 217/217, 218/218, 219/219, 220/220, 221/221, 222/222, 223/223, 224/224, 225/225, 226/226, 227/227, 228/228, 229/229, 230/230, 231/231, 232/232, 233/233, 234/234, 235/235, 236/236, 237/237, 238/238, 239/239, 240/240, 241/241, 242/242, 243/243, 244/244, 245/245, 246/246, 247/247, 248/248, 249/249, 250/250, 251/251, 252/252, 253/253, 254/254, 255/255, 256/256, 257/257, 258/258, 259/259, 260/260, 261/261, 262/262, 263/263, 264/264, 265/265, 266/266, 267/267, 268/268, 269/269, 270/270, 271/271, 272/272, 273/273, 274/274, 275/275, 276/276, 277/277, 278/278, 279/279, 280/280, 281/281, 282/282, 283/283, 284/284, 285/285, 286/286, 287/287, 288/288, 289/289, 290/290, 291/291, 292/292, 293/293, 294/294, 295/295, 296/296, 297/297, 298/298, 299/299, 300/300, 301/301, 302/302, 303/303, 304/304, 305/305, 306/306, 307/307, 308/308, 309/309, 310/310, 311/311, 312/312, 313/313, 314/314, 315/315, 316/316, 317/317, 318/318, 319/319, 320/320, 321/321, 322/322, 323/323, 324/324, 325/325, 326/326, 327/327, 328/328, 329/329, 330/330, 331/331, 332/332, 333/333, 334/334, 335/335, 336/336, 337/337, 338/338, 339/339, 340/340, 341/341, 342/342, 343/343, 344/344, 345/345, 346/346, 347/347, 348/348, 349/349, 350/350, 351/351, 352/352, 353/353, 354/354, 355/355, 356/356, 357/357, 358/358, 359/359, 360/360, 361/361, 362/362, 363/363, 364/364, 365/365, 366/366, 367/367, 368/368, 369/369, 370/370, 371/371, 372/372, 373/373, 374/374, 375/375, 376/376, 377/377, 378/378, 379/379, 380/380, 381/381, 382/382, 383/383, 384/384, 385/385, 386/386, 387/387, 388/388, 389/389, 390/390, 391/391, 392/392, 393/393, 394/394, 395/395, 396/396, 397/397, 398/398, 399/399, 400/400, 401/401, 402/402, 403/403, 404/404, 405/405, 406/406, 407/407, 408/408, 409/409, 410/410, 411/411, 412/412, 413/413, 414/414, 415/415, 416/416, 417/417, 418/418, 419/419, 420/420, 421/421, 422/422, 423/423, 424/424, 425/425, 426/426, 427/427, 428/428, 429/429, 430/430, 431/431, 432/432, 433/433, 434/434, 435/435, 436/436, 437/437, 438/438, 439/439, 440/440, 441/441, 442/442, 443/443, 444/444, 445/445, 446/446, 447/447, 448/448, 449/449, 450/450, 451/451, 452/452, 453/453, 454/454, 455/455, 456/456, 457/457, 458/458, 459/459, 460/460, 461/461, 462/462, 463/463, 464/464, 465/465, 466/466, 467/467, 468/468, 469/469, 470/470, 471/471, 472/472, 473/473, 474/474, 475/475, 476/476, 477/477, 478/478, 479/479, 480/480, 481/481, 482/482, 483/483, 484/484, 485/485, 486/486, 487/487, 488/488, 489/489, 490/490, 491/491, 492/492, 493/493, 494/494, 495/495, 496/496, 497/497, 498/498, 499/499, 500/500, 501/501, 502/502, 503/503, 504/504, 505/505, 506/506, 507/507, 508/508, 509/509, 510/510, 511/511, 512/512, 513/513, 514/514, 515/515, 516/516, 517/517, 518/518, 519/519, 520/520, 521/521, 522/522, 523/523, 524/524, 525/525, 526/526, 527/527, 528/528, 529/529, 530/530, 531/531, 532/532, 533/533, 534/534, 535/535, 536/536, 537/537, 538/538, 539/539, 540/540, 541/541, 542/542, 543/543, 544/544, 545/545, 546/546, 547/547, 548/548, 549/549, 550/550, 551/551, 552/552, 553/553, 554/554, 555/555, 556/556, 557/557, 558/558, 559/559, 560/560, 561/561, 562/562, 563/563, 564/564, 565/565, 566/566, 567/567, 568/568, 569/569, 570/570, 571/571, 572/572, 573/573, 574/574, 575/575, 576/576, 577/577, 578/578, 579/579, 580/580, 581/581, 582/582, 583/583, 584/584, 585/585, 586/586, 587/587, 588/588, 589/589, 590/590, 591/591, 592/592, 593/593, 594/594, 595/595, 596/596, 597/597, 598/598, 599/599, 600/600, 601/601, 602/602, 603/603, 604/604, 605/605, 606/606, 607/607, 608/608, 609/609, 610/610, 611/611, 612/612, 613/613, 614/614, 615/615, 616/616, 617/617, 618/618, 619/619, 620/620, 621/621, 622/622, 623/623, 624/624, 625/625, 626/626, 627/627, 628/628, 629/629, 630/630, 631/631, 632/632, 633/633, 634/634, 635/635, 636/636, 637/637, 638/638, 639/639, 640/640, 641/641, 642/642, 643/643, 644/644, 645/645, 646/646, 647/647, 648/648, 649/649, 650/650, 651/651, 652/652, 653/653, 654/654, 655/655, 656/656, 657/657, 658/658, 659/659, 660/660, 661/661, 662/662, 663/663, 664/664, 665/665, 666/666, 667/667, 668/668, 669/669, 670/670, 671/671, 672/672, 673/673, 674/674, 675/675, 676/676, 677/677, 678/678, 679/679, 680/680, 681/681, 682/682, 683/683, 684/684, 685/685, 686/686, 687/687, 688/688, 689/689, 690/690, 691/691, 692/692, 693/693, 694/694, 695/695, 696/696, 697/697, 698/698, 699/699, 700/700, 701/701, 702/702, 703/703, 704/704, 705/705, 706/706, 707/707, 708/708, 709/709, 710/710, 711/711, 712/712, 713/713, 714/714, 715/715, 716/716, 717/717, 718/718, 719/719, 720/720, 721/721, 722/722, 723/723, 724/724, 725/725, 726/726, 727/727, 728/728, 729/729, 730/730, 731/731, 732/732, 733/733, 734/734, 735/735, 736/736, 737/737, 738/738, 739/739, 740/740, 741/741, 742/742, 743/743, 744/744, 745/745, 746/746, 747/747, 748/748, 749/749, 750/750, 751/751, 752/752, 753/753, 754/754, 755/755, 756/756, 757/757, 758/758, 759/759, 760/760, 761/761, 762/762, 763/763, 764/764, 765/765, 766/766, 767/767, 768/768, 769/769, 770/770, 771/771, 772/772, 773/773, 774/774, 775/775, 776/776, 777/777, 778/778, 779/779, 780/780, 781/781, 782/782, 783/783, 784/784, 785/785, 786/786, 787/787, 788/788, 789/789, 790/790, 791/791, 792/792, 793/793, 794/794, 795/795, 796/796, 797/797, 798/798, 799/799, 800/800, 801/801, 802/802, 803/803, 804/804, 805/805, 806/806, 807/807, 808/808, 809/809, 810/810, 811/811, 812/812, 813/813, 814/814, 815/815, 816/816, 817/817, 818/818, 819/819, 820/820, 821/821, 822/822, 823/823, 824/824, 825/825, 826/826, 827/827, 828/828, 829/829, 830/830, 831/831, 832/832, 833/833, 834/834, 835/835, 836/836, 837/837, 838/838, 839/839, 840/840, 841/841, 842/842, 843/843, 844/844, 845/845, 846/846, 847/847, 848/848, 849/849, 850/850, 851/851, 852/852, 853/853, 854/854, 855/855, 856/856, 857/857, 858/858, 859/859, 860/860, 861/861, 862/862, 863/863, 864/864, 865/865, 866/866, 867/867, 868/868, 869/869, 870/870, 871/871, 872/872, 873/873, 874/874, 875/875, 876/876, 877/877, 878/878, 879/879, 880/880, 881/881, 882/882, 883/883, 884/884, 885/885, 886/886, 887/887, 888/888, 889/889, 890/890, 891/891, 892/892, 893/893, 894/894, 895/895, 896/896, 897/897, 898/898, 899/899, 900/900, 901/901, 902/902, 903/903, 904/904, 905/905, 906/906, 907/907, 908/908, 909/909, 910/910, 911/911, 912/912, 913/913, 914/914, 915/915, 916/916, 917/917, 918/918, 919/919, 920/920, 921/921, 922/922, 923/923, 924/924, 925/925, 926/926, 927/927, 928/928, 929/929, 930/930, 931/931, 932/932, 933/933, 934/934, 935/935, 936/936, 937/937, 938/938, 939/939, 940/940, 941/941, 942/942, 943/943, 944/944, 945/945, 946/946, 947/947, 948/948, 949/949, 950/950, 951/951, 952/952, 953/953, 954/954, 955/955, 956/956, 957/957, 958/958, 959/959, 960/960, 961/961, 962/962, 963/963, 964/964, 965/965, 966/966, 967/967, 968/968, 969/969, 970/970, 971/971, 972/972, 973/973, 974/974, 975/975, 976/976, 977/977, 978/978, 979/979, 980/980, 981/981, 982/982, 983/983, 984/984, 985/985, 986/986, 987/987, 988/988, 989/989, 990/990, 991/991, 992/992, 993/993, 994/994, 995/995, 996/996, 997/997, 998/998, 999/999, 1000/1000, 1001/1001, 1002/1002, 1003/1003, 1004/1004, 1005/1005, 1006/1006, 1007/1007, 1008/1008, 1009/1009, 1010/1010, 1011/1011, 1012/1012, 1013/1013, 1014/1014, 1015/1015, 1016/1016, 1017/1017, 1018/1018, 1019/1019, 1020/1020, 1021/1021, 1022/1022, 1023/1023, 1024/1024, 1025/1025, 1026/1026, 1027/1027, 1028/1028, 1029/1029, 1030/1030, 1031/1031, 1032/1032, 1033/1033, 1034/1034, 1035/1035, 1036/1036, 1037/1037, 1038/1038, 1039/1039, 1040/1040, 1041/1041, 1042/1042, 1043/1043, 1044/1044, 1045/1045, 1046/1046, 1047/1047, 1048/1048, 1049/1049, 1050/1050, 1051/1051, 1052/1052, 1053/1053, 1054/1054, 1055/1055, 1056/1056, 1057/1057, 1058/1058, 1059/1059, 1060/1060, 1061/1061, 1062/1062, 1063/1063, 1064/1064, 1065/1065, 1066/1066, 1067/1067, 1068/1068, 1069/1069, 1070/1070, 1071/1071, 1072/1072, 1073/1073, 1074/1074, 1075/1075, 1076/1076, 1077/1077, 1078/1078, 1079/1079, 1080/1080, 1081/1081, 1082/1082, 1083/1083, 1084/1084, 1085/1085, 1086/1086, 1087/1087, 1088/1088, 1089/1089, 1090/1090, 1091/1091, 1092/1092, 1093/1093, 1094/1094, 1095/1095, 1096/1096, 1097/1097, 1098/1098, 1099/1099, 1100/1100, 1101/1101, 1102/1102, 1103/1103, 1104/1104, 1105/1105, 1106/1106, 1107/1107, 1108/1108, 1109/1109, 1110/1110, 1111/1111, 1112/1112, 1113/1113, 1114/1114, 1115/1115, 1116/1116, 1117/1117, 1118/1118, 1119/1119, 1120/1120, 1121/1121, 1122/1122, 1123/1123, 1124/1124, 1125/1125, 1126/1126, 1127/1127, 1128/1128, 1129/1129, 1130/1130, 1131/1131, 1132/1132, 1133/1133, 1134/1134, 1135/1135, 1136/1136, 1137/1137, 1138/1138, 1139/1139, 1140/1140, 1141/1141, 1142/1142, 1143/1143, 1144/1144, 1145/1145, 1146/1146, 1147/1147, 1148/1148, 1149/1149, 1150/1150, 1151/1151, 1152/1152, 1153/1153, 1154/1154, 1155/1155, 1156/1156, 1157/1157, 1158/1158, 1159/1159, 1160/1160, 1161/1161, 1162/1162, 1163/1163, 1164/1164, 1165/1165, 1166/1166, 1167/1167, 1168/1168, 1169/1169, 1170/1170, 1171/1171, 1172/1172, 1173/1173, 1174/1174, 1175/1175, 1176/1176, 1177/1177, 1178/1178, 1179/1179, 1180/1180, 1181/1181, 1182/1182, 1183/1183, 1184/1184, 1185/1185, 1186/1186, 1187/1187, 1188/1188, 1189/1189, 1190/1190, 1191/1191, 1192/1192, 1193/1193, 1194/1194, 1195/1195, 1196/1196, 1197/1197, 1198/1198, 1199/1199, 1200/1200, 1201/1201, 1202/1202, 1203/1203, 1204/1204, 1205/1205, 1206/1206, 1207/1207, 1208/1208, 1209/1209, 1210/1210, 1211/1211, 1212/1212, 1213/1213, 1214/1214, 1215/1215, 1216/1216, 1217/1217, 1218/1218, 1219/1219, 1220/1220, 1221/1221, 1222/1222, 1223/1223, 1224/1224, 1225/1225, 1226/1226, 1227/1227, 1228/1228, 1229/1229, 1230/1230, 1231/1231, 1232/1232, 1233/1233, 1234/1234, 1235/1235, 1236/1236, 1237/1237, 1238/1238, 1239/1239, 1240/1240, 1241/1241, 1242/1242, 1243/1243, 1244/1244, 1245/1245, 1246/1246, 1247/1247, 1248/1248, 1249/1249, 1250/1250, 1251/1251, 1252/1252, 1253/1253, 1254/1254, 1255/1255, 1256/1256, 1257/1257, 1258/1258, 1259/1259, 1260/1260, 1261/1261, 1262/1262, 1263/1263, 1264/1264, 1265/1265, 1266/1266, 1267/1267, 1268/1268, 1269/1269, 1270/1270, 1271/1271, 1272/1272, 1273/1273, 1274/1274, 1275/1275, 1276/1276, 1277/1277, 1278/1278, 1279/1279, 1280/1280, 1281/1281, 1282/1282, 1283/1283, 1284/1284, 1285/1285, 1286/1286, 1287/1287, 1288/1288, 1289/1289, 1290/1290, 1291/1291, 1292/1292, 1293/1293, 1294/1294, 1295/1295, 1296/1296, 1297/1297, 1298/1298, 1299/1299, 1300/1300, 1301/1301, 1302/1302, 1303/1303, 1304/1304, 1305/1305, 1306/1306, 1307/1307, 1308/1308, 1309/1309, 1310/1310, 1311/1311, 1312/1312, 1313/1313, 1314/1314, 1315/1315, 1316/1316, 1317/1317, 1318/131



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement] Rules, 2016

Authorization No: 335569

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

(This document contains 4 pages excluding annexure)

Authorization No: 335569

PCB ID:

31702

Date: 17/01/2023

**FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION
CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER
AND OPERATORS OF DISPOSAL FACILITIES**

- Ref: 1. Authorization application submitted by the industry/organization on 04/08/2022 at
Regional Office.
2. Inspection of the project site/organization by Regional Officer, Chikkaballapura on 30/07/2022
3. Proceedings of CCM dated: , held on:

1. Number of authorization 335569 and date of issue 17/01/2023

2. Reference of application No. 157930 Inward Date 04/08/2022

3. BOARD OF DIRECTOR of R L Fine Chem Pvt. Ltd., is hereby granted an authorization based on the enclosed signed inspection report for Generation, Reception, Disposal or any other use of hazardous or other wastes or both on the premises situated at the location Address: 27-29, , KIADB Industrial Area, Industrial Area : Gowribidanur, Taluk : gowaribidanur, District : Chikkaballapur

Details of Authorization:

Category of Hazardous waste as per the Schedule I, II, III & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
I	28.1~Process Residue and wastes	65.200	MTA	As Per Annexure
I	28.3~Spent carbon	35.464	MTA	As Per Annexure
I	28.4~Off specification products	2.000	MTA	As Per Annexure
I	5.1~Used Spent Oil	1.968	MTA	As Per Annexure
I	28.6~ Spent solvents	693.720	MTA	As Per Annexure



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 335569

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 4 pages excluding annexure)

12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.
13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.
14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.
15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.
16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.
19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).
20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

Additional Conditions:

1)This authorisation is issued for the period from 20.6.2022 to 30.06.2026 with conditions. 2)The Occupier of the facility shall comply with all the conditions prescribed in the ANNEXURES attached herewith and submit compliance.

For and on behalf of the
Karnataka State Pollution Control Board

CHIEF/ SENIOR ENVIRONMENTAL OFFICER

Annexure –IV
AMBIENT AIR QUALITY REPORT

P. FINE CHEM PVT. LTD.
Plot No. 10, Phase II, Industrial Zone
Sector 14, Gurgaon, Haryana
Gurgaon, India. 122001
Karnal Road, Haryana. PUNJAB
Karnal Road, Haryana. PUNJAB

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂದ್ರಪ್ರಸ್ಥ ನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP202500014646-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/A/25/12/14646	ULR Number	TC1384525000014646F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Gate No-1)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of start of analysis	19.12.2025
Date of Monitoring	18.12.2025	Date of completion of analysis	24.12.2025
Discipline	Chemical	Page No	1 of 1
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 09:15am to 09:15am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	85.3	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	21.3	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	9.47	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	20.10	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/ m ³	0.185	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/ m ³	11.88	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/ m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/ m ³	1.23	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/ m ³	14.12	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/ m ³	7.20	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/ m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/ m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE

As per NAAQ Standards,

Report Status: - The measured values for the above parameters are within the standards.

Verified by

Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP202500014647-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/A/25/12/14647	ULR Number	TC1384525000014647F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Block B)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of start of analysis	19.12.2025
Date of Monitoring	18.12.2025	Date of completion of analysis	24.12.2025
Discipline	Chemical	Page No	1 of 1
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
Period of sampling		Hrs	24 09:20am to 09:20am	24	
1.	Particulate Matter (PM ₁₀)	µg/ m ³	81.2	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	19.6	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	9.01	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	19.45	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/ m ³	0.224	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/ m ³	14.84	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/ m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/ m ³	1.11	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/ m ³	13.84	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/ m ³	7.53	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/ m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/ m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE As per NAAQ Standards,
Report Status: - The measured values for the above parameters are within the standards.

Handed
Verified by

End of Report

Nethravathi L
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ಸಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010.

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

ANALYSIS REPORT OF AMBIENT AIR QUALITY			
Test report Number	EHSRDC LLP202500014648-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/A/25/12/14648	ULR Number	TC1384525000014648F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near ETP Area)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards,2009	Methods
	Period of sampling	Hrs	24 09:25am to 09:25am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	85.6	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	23.2	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	10.02	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	20.71	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/m ³	0.273	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/m ³	11.50	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/m ³	1.30	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/m ³	14.47	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/m ³	8.30	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL – Below Detectable Limit

Note: BDL – Below Detectable Limit

INFERENCE

As per NAAQ Standards,
Report Status: - The mes

Report Status: - The measured values for the above parameters are within the standards.

Therley
Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters. 2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded, 6. Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP202500014649-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/A/25/12/14649	ULR Number	TC1384525000014649F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Production Block-A)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No.	1 of 1
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 09:30am to 09:30am	24	--
1.	Particulate Matter (PM ₁₀)	µg/m ³	88.7	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/m ³	25.7	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/m ³	10.72	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	21.63	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/m ³	0.188	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/m ³	7.29	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/m ³	1.39	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/m ³	14.69	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/m ³	8.54	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE As per NAAQ Standards,

Report Status: - The measured values for the above parameters are within the standards.

Verified by

Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯ ರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018

Test Report

ANALYSIS REPORT OF VOLATILE ORGANIC COMPOUND

Test report Number	EHSRDC LLP202500014650-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/VOC/25/12/14650	ULR Number	NA
Name and address of customer with contact details	M/s. R.L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Gate No-1)
Particulars of sample collected	Volatile Organic Compound collected through Handy Sampler - Envirotech APM 821	Date of receipt of sample	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of start of analysis	19.12.2025
Date of Monitoring	18.12.2025	Date of completion of analysis	24.12.2025
Discipline	Chemical	Page No	1 of 1
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No	Parameters	Unit	Results	Method Adopted
	Period of sampling	Hrs	8	--
VOLATILE ORGANIC COMPOUND				
1.	1,1 Dichloroethane	µg/m ³	BDL	EHSRDC/SOP/Air/042
2.	2,2 Dichloropropane	µg/m ³	BDL	
3.	Toluene	µg/m ³	BDL	
4.	Xylene	µg/m ³	BDL	
5.	Ethyl Benzene	µg/m ³	BDL	
6.	Chlorobenzene	µg/m ³	BDL	
7.	Tetrachloroethylene	µg/m ³	BDL	

BDL: Below Detectable Limit.

Swathi
Verified by

End of Report

Thejaswi N
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018

Test Report

ANALYSIS REPORT OF VOLATILE ORGANIC COMPOUND

Test report Number	EHSRDC LLP202500014651-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/VOC/25/12/14651	ULR Number	NA
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Block B)
Particulars of sample collected	Volatile Organic Compound collected through Handy Sampler - Envirotech APM 821	Date of receipt of sample	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of start of analysis	19.12.2025
Date of Monitoring	18.12.2025	Date of completion of analysis	24.12.2025
Discipline	Chemical	Page No	1 of 1
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No	Parameters	Unit	Results	Method Adopted
	Period of sampling	Hrs	8	--
VOLATILE ORGANIC COMPOUND				
1.	1,1 Dichloroethane	µg/m ³	BDL	EHSRDC/SOP/Air/042
2.	2,2 Dichloropropane	µg/m ³	BDL	
3.	Toluene	µg/m ³	BDL	
4.	Xylene	µg/m ³	BDL	
5.	Ethyl Benzene	µg/m ³	BDL	
6.	Chlorobenzene	µg/m ³	BDL	
7.	Tetrachloroethylene	µg/m ³	BDL	

BDL: Below Detectable Limit.

S. Swathi
Verified by

Thejaswi N
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1 ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018

Test Report

ANALYSIS REPORT OF VOLATILE ORGANIC COMPOUND

Test report Number	EHSRDC LLP202500014652-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/VOC/25/12/14652	ULR Number	NA
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POOB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near ETP Area)
Particulars of sample collected	Volatile Organic Compound collected through Handy Sampler - Envirotech APM 821	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No	Parameters	Unit	Results	Method Adopted
	Period of sampling	Hrs	8	--
VOLATILE ORGANIC COMPOUND				
1.	1,1 Dichloroethane	µg/m ³	BDL	EHSRDC/SOP/Air/042
2.	2,2 Dichloropropane	µg/m ³	BDL	
3.	Toluene	µg/m ³	BDL	
4.	Xylene	µg/m ³	BDL	
5.	Ethyl Benzene	µg/m ³	BDL	
6.	Chlorobenzene	µg/m ³	BDL	
7.	Tetrachloroethylene	µg/m ³	BDL	

BDL: Below Detectable Limit.

Verified by

End of Report

Thejaswi N
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018

Test Report

ANALYSIS REPORT OF VOLATILE ORGANIC COMPOUND

Test report Number	EHSRDC LLP202500014653-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/VOC/25/12/14653	ULR Number	NA
Name and address of customer with contact details	M/s. R.L. Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADE Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Production Block -A)
Particulars of sample collected	Volatile Organic Compound collected through Handy Sampler - Envirotech APM 821	Date of receipt of sample	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of start of analysis	19.12.2025
Date of Monitoring	18.12.2025	Date of completion of analysis	24.12.2025
Discipline	Chemical	Page No	1 of 1
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No	Parameters	Unit	Results	Method Adopted
	Period of sampling	Hrs	8	--
VOLATILE ORGANIC COMPOUND				
1.	1,1 Dichloroethane	µg/m ³	BDL	EHSRDC/SOP/Air/042
2.	2,2 Dichloropropane	µg/m ³	BDL	
3.	Toluene	µg/m ³	BDL	
4.	Xylene	µg/m ³	BDL	
5.	Ethyl Benzene	µg/m ³	BDL	
6.	Chlorobenzene	µg/m ³	BDL	
7.	Tetrachloroethylene	µg/m ³	BDL	

BDL: Below Detectable Limit.

Verified by

End of Report

Thejaswi N
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಆಗ್ನಿಕಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP20260003501-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/A/26/03/3501	ULR Number	TC1384526000003501F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Production Block-A)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 10:15am to 10:15am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	76.4	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	18.7	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	8.32	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	18.42	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/m ³	0.050	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/m ³	4.25	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/m ³	0.96	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/m ³	14.52	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/m ³	7.01	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE As per NAAQ Standards,

Report Status: - The measured values for the above parameters are within the standards.

Chanday
Verified by

Nethravathi L
Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP20260003499-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/A/26/03/3499	ULR Number	TC1384526000003499F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADEB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Block B)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 10:05am to 10:05am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	79.5	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	21.3	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	8.64	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	18.89	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/ m ³	0.094	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/ m ³	10.49	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/ m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/ m ³	1.05	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/ m ³	14.84	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/ m ³	7.30	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/ m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/ m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE

As per NAAQ Standards,

Report Status: - The measured values for the above parameters are within the standards.

Handwritten Signature
Verified by

Handwritten Signature
Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP20260003498-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/A/26/03/3498	ULR Number	TC1384526000003498F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near Gate No-1)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

SLNo.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 10:00am to 10:00am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	83.2	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	24.8	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	10.28	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	22.17	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/m ³	0.086	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/m ³	4.98	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/m ³	1.28	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/m ³	15.13	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (NH ₃)	µg/m ³	7.66	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL -- Below Detectable Limit

INFERENCE As per NAAQ Standards,
Report Status: - The measured values for the above parameters are within the standards.

Handwritten Signature
Verified by

Handwritten Signature
Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1 ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	EHSRDC LLP20250003500-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/A/26/03/3500	ULR Number	TC1384526000003500F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Air	Monitoring location	Industry Premises (Near ETP Area)
Particulars of sample collected	Monitored through Respirable Dust Sampler 460NL, Gaseous Sampler, Fine Particulate Sampler APM - 550.	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		
Amendment No & date	--		

Sl.No.	Parameters	Unit	Results	NAAQ Standards, 2009	Methods
	Period of sampling	Hrs	24 10:10am to 10:10am	24	--
1.	Particulate Matter (PM ₁₀)	µg/ m ³	86.1	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	20.6	60	IS: 5182 (Part 24)
3.	Sulphur Dioxide (SO ₂)	µg/ m ³	10.71	80	IS: 5182 (Part 2)
4.	Nitrogen Dioxide (NO ₂)	µg/ m ³	21.71	80	IS: 5182 (Part 6)- 1st rev
5.	Lead (Pb)	µg/ m ³	0.071	1.0 (24 hr Average)	IS 5182 Part 22
6.	Nickel (Ni)	ng/ m ³	7.09	20.0 (Annual Average)	IS 5182 Part 26
7.	Arsenic (As)	ng/ m ³	BDL	6.0 (Annual Average)	EHSRDC/SOP/Air/023
8.	Carbon Monoxide (CO)	mg/ m ³	1.37	4.0 (1 hr Average)	IS: 5182 (P 10)
9.	Ozone (O ₃)	µg/ m ³	15.37	180 (1 hr Average)	EHSRDC/SOP/AIR-016
10.	Ammonia (i- H ₃)	µg/ m ³	7.95	400.0 (24 hr Average)	IS: 5182 (Part 25)
11.	Benzene (C ₆ H ₆)	µg/ m ³	BDL	5.0 (Annual Average)	EHSRDC/SOP/Air/042
12.	Benzo (a) pyrene (BaP)	ng/ m ³	BDL	1.0 (Annual Average)	EHSRDC/SOP/Air/043

Note: BDL - Below Detectable Limit

INFERENCE

As per NAAQ Standards,

Report Status: - The measured values for the above parameters are within the standards.

Handwritten Signature
Verified by

Handwritten Signature
Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore Jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Annexure –V

STACK MONITORING REPORT

IVL FINE CHEM PVT. LTD.
Plot No. 8/27-28, Phase III, Industrial Area,
Punjab, Ludhiana-141004
Gurgaon, Haryana, India. GSTIN: 0714001241
Website: www.ivlchem.com, Email: info@ivlchem.com

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಕಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500011371 -1	Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/S/25/10/11371	ULR Number	TC1384525000011371F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.10.2025
		Date of start of analysis	25.10.2025
		Date of completion of analysis	30.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.10.2025		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 192 Cross section area (m²): 0.385 Quantity of flue gas discharged into atmosphere (Nm³/h): 8750.23	Velocity (m/s): 9.67 Diameter (m): 0.70 Dust emission rate of PM (Kg/hr): 0.423	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	48.35	150*
Oxides of Nitrogen as NO₂	IS: 11255, part 7	mg/Nm³	27.99	300**
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	13.49	600**

INFERENCE	*As per Tolerance Limit, Report Status: - The measured value for Particulate Matter is within the standard. **As per Gazette of India, MoEF& CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards
-----------	--


Verified by

End of Report


Amulya VK
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ಸಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500011372-1		Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/S/25/10/11372		ULR Number	TC1384525000011372F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.		Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission		Monitoring location	DG Set 1010 KVA
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1		Date of receipt of sample	25.10.2025
			Date of start of analysis	25.10.2025
			Date of completion of analysis	30.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.		Page No	1 of 1
Date of Monitoring	24.10.2025			
General Details	Ambient temperature (°C): 27	Stack temperature (°C): 258	Velocity (m/s): 10.52	Diameter (m): 0.33
	Cross section area (m²): 0.085	Quantity of flue gas discharged into atmosphere (Nm³/h): 1829.45		Dust emission rate of PM (Kg/hr): 0.065
Discipline	Chemical			
Product category	Atmospheric Pollution			
Amendment No & date	--			


RESULTS

Parameters	Protocol	Unit	Result	KSPCB Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	35.73	150
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	21.67	Not Specified
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	14.60	Not Specified

INFERENCE

As per KSPCB Tolerance Limit,
Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Verified by 


Amulya V K
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ಸಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500011373 -1	Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/S/25/10/11373	ULR Number	TC1384525000011373F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process 2(Block- A) Scrubber-
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.10.2025
		Date of start of analysis	25.10.2025
		Date of completion of analysis	30.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.10.2025		
General Details	Ambient temperature (°C): 25	Stack temperature (°C): 40	Velocity (m/s): 7.27
	Cross section area (m²): 0.138	Quantity of flue gas discharged into atmosphere (Nm³/h): 3452.62	Diameter (m): 0.42
Discipline	Chemical		Dust emission rate of PM (Kg/hr): 0.055
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	15.81
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	16.07
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	10.91
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	5.77


Verified by


Amulya VK
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



P 080 23012100
M 76194 76407

E : ehsrdc2010@gmail.com
ehsrdc2010@ehsrdc.in
W : www.ehsrdc.in

EHSRDC ENVIRONMENTAL HEALTH AND SAFETY RESEARCH AND DEVELOPMENT CENTRE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಇವಿನ್ ಒನ್ ಲಿಮಿಟೆಡ್ ಎನ್ವಿರಾನ್ಮೆಂಟಲ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಏರ್ ಎಲ್ ಡಿ
(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ 1986 ರ ಕುರಿತು 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

ಐಐಇಎಸ್‌ಆರ್‌ಡಿಸಿ ಏನ್‌ವಾಯರ್‌ಮೆಂಟಲ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಏಲ್‌ಎಲ್‌ಪಿ
(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಅಧಿನಿಯಮ, 1986 ಅನುಬಂಧ 12 ಕೆಳಗೆ ಮಾನ್ಯತೆ ಪ್ರಾಪ್ತ ಪ್ರಯೋಗಾಲಯ) ನ್ಯು ದೆಹಲಿ.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಕಾಂಡುಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500011374-1	Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/S/25/10/11374	ULR Number	TC1384525000011374F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.10.2025
		Date of start of analysis	25.10.2025
		Date of completion of analysis	30.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.10.2025		
General Details	Ambient temperature (°C): 24 Stack temperature (°C): 43 Cross section area (m²): 0.173	Velocity (m/s): 7.14 Quantity of flue gas discharged into atmosphere (Nm³/h): 4191.33	Diameter (m): 0.47 Dust emission rate of PM (Kg/hr): 0.080
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	19.19
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	15.34
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	9.82
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	6.81

Verified by

End of Report

Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore Jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ಸಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500011375-1	Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/S/25/10/11375	ULR Number	TC1384525000011375F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample Emissions from	Source emission	Monitoring location	Process scrubber-2(Block-C)
Particulars of sample collected	stack collected through Stack Sampler VSS1	Date of receipt of sample	25.10.2025
		Date of start of analysis	25.10.2025
		Date of completion of analysis	30.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.10.2025		
General Details	Ambient temperature (°C): 24 Stack temperature (°C): 42 Cross section area (m ²): 0.173 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 4217.64 Velocity (m/s): 7.17 Diameter (m): 0.47		
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	13.21
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	14.51
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	8.08
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	5.25


Verified by

End of Report


Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯ ರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015 / ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500013191-1	Test report issue date	29.11.2025
Sample code Number	EHSRDC/RLFC/S/25/11/13191	ULR Number	TC1384525000013191F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.11.2025
		Date of start of analysis	25.11.2025
		Date of completion of analysis	29.11.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.11.2025		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 152 Cross section area (m ²): 0.385	Velocity (m/s): 9.168 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 9080.51	Diameter (m): 0.70 Dust emission rate of PM (Kg/hr): 0.327
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm ³	36.06	150*
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	21.76	300**
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	13.70	600**

INFERENCE

*As per Tolerance Limit,
Report Status: - The measured value for Particulate Matter is within the standard.
**As per Gazette of India, MoEF & CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards

Chandras
Verified by

Amulya V K
Amulya V K
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

1. The results refer only to the tested samples & applicable parameters.
2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded.
6. Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500013193 -1	Test report issue date	29.11.2025
Sample code Number	EHSRDC/RLFC/S/25/11/13193	ULR Number	TC1384525000013193F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POQB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process Scrubber-2(Block- A)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.11.2025
		Date of start of analysis	25.11.2025
		Date of completion of analysis	29.11.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.11.2025		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 38 Cross section area (m ²): 0.138 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 2940.54	Velocity (m/s): 6.035 Diameter (m): 0.42 Dust emission rate of PM (Kg/hr): 0.039	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	13.37
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	11.40
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	8.21
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	4.90
Ammonia	IS: 11255, part 6	mg/Nm ³	1.45

Chandray
Verified by

End of Report

Amulya VK
Amulya VK
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರೀಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500013194-1	Test report issue date	29.11.2025
Sample code Number	EHSRDC/RLFC/S/25/11/13194	ULR Number	TC1384525000013194F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	25.11.2025
		Date of start of analysis	25.11.2025
		Date of completion of analysis	29.11.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.11.2025		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 39 Cross section area (m ²): 0.173	Velocity (m/s): 5.996 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 3647.14	Diameter (m): 0.47 Dust emission rate of PM (Kg/hr): 0.057
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	15.50
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	13.57
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	9.61
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	5.98
Ammonia	IS: 11255, part 6	mg/Nm ³	1.87

Chanday
Verified by

End of Report

Amulya V K
Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount, Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500013195-1	Test report issue date	29.11.2025
Sample code Number	EHSRDC/RLFC/S/25/11/13195	ULR Number	TC1384525000013195F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample Emissions from	Source emission	Monitoring location	Process scrubber-2(Block-C)
Particulars of sample collected	stack collected through Stack Sampler VSS1	Date of receipt of sample	25.11.2025
		Date of start of analysis	25.11.2025
		Date of completion of analysis	29.11.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	24.11.2025		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 40 Cross section area (m²): 0.173	Velocity (m/s): 6.102 Quantity of flue gas discharged into atmosphere (Nm³/h): 3699.57	Diameter (m): 0.47 Dust emission rate of PM (Kg/hr): 0.053
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	14.20
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	12.43
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	9.68
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	4.72
Ammonia	IS: 11255, part 6	mg/Nm³	1.71

Chanday
Verified by

End of Report

Amulya V K
Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯ ರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500014654-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/S/25/12/14654	ULR Number	TC1384525000014654F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
General Details	Ambient temperature (°C): 30 Stack temperature (°C): 135 Cross section area (m²): 0.385 Quantity of flue gas discharged into atmosphere (Nm³/h): 8352.81	Velocity (m/s): 8.12 Diameter (m): 0.70	Dust emission rate of PM (Kg/hr): 0.249
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	29.85	150*
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	19.69	300**
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	12.59	600**

INFERENCE

*As per Tolerance Limit,
Report Status: - The measured value for Particulate Matter is within the standard.
**As per Gazette of India, MoEF & CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards

Chandray
Verified by

End of Report

Nethravathi L
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500014655-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/S/25/12/14655	ULR Number	TC1384525000014655P
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	DG Set 1010 KVA
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
General Details	Ambient temperature (°C): 32 Stack temperature (°C): 210 Cross section area (m ²): 0.085 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 1577.49	Velocity (m/s): 8.11 Diameter (m): 0.33	Dust emission rate of PM (Kg/hr): 0.038
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	KSPCB Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm ³	24.33	150
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	17.62	Not Specified
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	10.73	Not Specified

INFERENCE

As per KSPCB Tolerance Limit,
Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Verified by

Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500014656-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/S/25/12/14656	ULR Number	TC1384525000014656F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process Scrubber- 2(Block- A)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
General Details	Ambient temperature (°C): 27 Stack temperature (°C): 36 Cross section area (m²): 0.138 Quantity of flue gas discharged into atmosphere (Nm³/h): 3389.49	Velocity (m/s): 7.00 Diameter (m): 0.42	Dust emission rate of PM (Kg/hr): 0.066
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	19.43
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	15.54
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	11.59
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	5.95

Handlay
Verified by

End of Report

Nethravathi L
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP202500014657-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/S/25/12/14657	ULR Number	TC1384525000014657F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.12.2025
		Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
General Details	Ambient temperature (°C): 27 Stack temperature (°C): 37 Cross section area (m ²): 0.173 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 4075.81 Dust emission rate of PM (Kg/hr): 0.091	Velocity (m/s): 6.74 Diameter (m): 0.47	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	22.23
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	16.58
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	12.62
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	6.30

Chandray
Verified by

End of Report

Nethravathi L
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
 ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯ ರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010.

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

ANALYSIS REPORT FOR SOURCE EMISSION				
Test report Number	EHSRDC LLP202500014658-1		Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/S/25/12/14658		ULR Number	TC1384525000014658P
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.		Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample Emissions from	Source emission		Monitoring location	Process scrubber-1(Block-C)
Particulars of sample collected	stack collected through Stack Sampler VSS1		Date of receipt of sample	19.12.2025
			Date of start of analysis	19.12.2025
			Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.		Page No	1 of 1
Date of Monitoring	18.12.2025			
General Details	Ambient temperature (°C): 27	Stack temperature (°C): 38	Velocity (m/s): 6.71	Diameter (m): 0.47
	Cross section area (m²): 0.173	Quantity of flue gas discharged into atmosphere (Nm³/h): 4043.41		Dust emission rate of PM (Kg/hr): 0.072
Discipline	Chemical			
Product category	Atmospheric Pollution			
Amendment No & date	--			

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	17.72
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	13.47
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	10.36
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	5.79

Handley
Verified by


Nethravathi L.
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters.
2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded.
6. Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015 ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP2026000915-1	Test report issue date	23.01.2026
Sample code Number	EHSRDC/RLFC/S/26/01/915	ULR Number	TC1384526000000915F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561203.	Reference to Work order/ Client request letter/ Purpose of the report	POOB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.01.2026
		Date of start of analysis	19.01.2026
		Date of completion of analysis	23.01.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010	Page No	1 of 1
Date of Monitoring	19.01.2026		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 167 Cross section area (m²): 0.385	Velocity (m/s): 8.338 Quantity of flue gas discharged into atmosphere (Nm³/h): 7977.59	Diameter (m): 0.70 Dust emission rate of FM (Kg/hr): 0.506
Discipline	Chemical		
Product category	Atmospheric Pollution		
Attendance No & Date			

RESULTS

Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	63.43	150*
Oxides of Nitrogen as NO₂	IS: 11255, part 7	mg/Nm³	31.09	300**
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	20.02	600**

INFERENCE

*As per Tolerance Limit,

Report Status: - The measured value for Particulate Matter is within the standard.

**As per Gazette of India, MoEF & CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards.

Chandras
Verified by

Amulya V K.
Amulya V K.
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



EHSRD ENVIRONMENTAL HEALTH AND SAFETY
RESEARCH & DEVELOPMENT CENTRE LLP

P 080 23012100
M 76194 76407

E : ehsrdc2010@gmail.com
ehsrdc2010@ehsrdc.in
W : www.ehsrdc.in

EHSRD ENVIRONMENTAL HEALTH AND SAFETY RESEARCH AND DEVELOPMENT CENTRE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986 New Delhi.

ಇವಿಚ್ಛಾ ವಿಸ್ತಾರಣೆ ವಿಸ್ತಾರಣೆ ಮೇಲೆ ಹೆಚ್ಚು ಅಂಶ ಸೇರಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ
(ಹರಿದ್ವಾರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ 1986 ರ ಕೆಳಗೆ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

ಐಇಎಸ್‌ಆರ್‌ಡಿ ಸಿ ಎನ್‌ವಯರ್ಮೆಂಟ್ ಹೆಲ್ತ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ

(ಸಂರಕ್ಷಣಾ (ಸಂರಕ್ಷಣಾ) ಅಧಿನಿಯಮ, 1986 ಅನುಬಂಧ 12 ಕೆಳಗೆ ಮಾನ್ಯತೆ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP2026000916-1	Test report issue date	23.01.2026
Sample code Number	EHSRDC/RLFC/S/26/01/916	ULR Number	TC1384526000000916F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-37-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	DG Set 1010 KVA
Particulars of sample collected	Emissions from stack collected through Stack Sampler VGS1	Date of receipt of sample	19.01.2026
		Date of start of analysis	19.01.2026
		Date of completion of analysis	23.01.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	19.01.2026		
General Details	Ambient temperature (°C): 31 Stack temperature (°C): 171 Velocity (m/s): 8.729 Diameter (m): 0.33		
	Cross section area (m²): 0.085 Quantity of flue gas discharged into atmosphere (Nm³/h): 1839.34		Dust emission rate of PM (Kg/hr): 0.051
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	---		

RESULTS

Parameters	Protocol	Unit	Result	KSPCB Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	27.60	150
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	20.72	Not Specified
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	13.22	Not Specified

INFERENCE

As per KSPCB Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Chandras
Verified by

Amulya V K
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP/2026000917 -1	Test report issue date	23.01.2026
Sample code Number	EHSRDC/PLFC/S/26/01/917	ULR Number	TC1384526000000917F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561203.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process Scrubber- 2(Block- A)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.01.2026
		Date of start of analysis	19.01.2026
		Date of completion of analysis	23.01.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010	Page No	1 of 1
Date of Monitoring	19.01.2026		
General Details	Ambient temperature (°C): 30 Stack temperature (°C): 40 Cross section area (m²): 0.138 Quantity of flue gas discharged into atmosphere (Nm³/l): 3126.87 Dust emission rate of PM (Kg/hr): 0.037	Velocity (m/s): 6.479 Diameter (m): 0.42	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date			

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	11.98
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	9.43
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	7.76
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	4.52
Ammonia	IS: 11255, part 6	mg/Nm³	1.38

Verified by

End of Report

Amulya V K
Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP2026000918-1	Test report issue date	23.01.2026
Sample code Number	EHSRDC/RLFC/S/26/01/918	ULR Number	TC138452600000918F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	FOGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	19.01.2026
		Date of start of analysis	19.01.2026
		Date of completion of analysis	23.01.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	19.01.2026		
General Details	Ambient temperature (°C): 29	Stack temperature (°C): 41	Velocity (m/s): 6.077
	Cross section area (m²): 0.173	Quantity of flue gas discharged into atmosphere (Nm³/h): 3648.44	Diameter (m): 0.47
Discipline	Chemical	Dust emission rate of PM (Kg/hr): 0.068	
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	18.54
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	12.23
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	11.94
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	6.58
Ammonia	IS: 11255, part 6	mg/Nm³	1.91

Chandras
Verified by

End of Report

Anuradha V K
Anuradha V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP2026000919-1	Test report issue date	23.01.2026	
Sample code Number	EHSRDC/RLFC/S/26/01/919	ULR Number	TC138452600000919P	
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, MIADB Industrial Area, 1 st Phase, Kudumalaskunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025	
Name of the sample Emissions from	Source emission	Monitoring location	Process scrubber-2(Block-C)	
Particulars of sample collected	stack collected through Stack Sampler VSS1	Date of receipt of sample	19.01.2026	
		Date of start of analysis	19.01.2026	
		Date of completion of analysis	23.01.2026	
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1	
Date of Monitoring	19.01.2026			
General Details	Ambient temperature (°C): 29	Stack temperature (°C): 42	Velocity (m/s): 6.518	Diameter (m): 0.47
	Cross section area (m²): 0.173	Quantity of flue gas discharged into atmosphere (Nm³/h): 3900.99		Dust emission rate of FM (Kg/hr): 0.084
Discipline	Chemical			
Product category	Atmospheric Pollution			
Amendment No & date	--			

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	21.49
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	17.62
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	12.56
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	7.86
Aminonia	IS: 11255, part 6	mg/Nm ³	2.15

Handley
Verified by

Amulya V.R.
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters. 2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded. 6. Complaint register is available at the laboratory at the reception.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಭಿವಾಹಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

ANALYSIS REPORT FOR SOURCE EMISSION				
Test report Number	EHSRDC LLP20260001941-1		Test report issue date	14.02.2026
Sample code Number	EHSRDC/RLFC/S/26/02/1941		ULR Number	TC1384526000001941F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.		Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission		Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1		Date of receipt of sample	11.02.2026
			Date of start of analysis	11.02.2026
			Date of completion of analysis	14.02.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.		Page No	1 of 1
Date of Monitoring	10.02.2026			
General Details	Ambient temperature (°C): 31	Stack temperature (°C): 149	Velocity (m/s): 9.006	Diameter (m): 0.70
	Cross section area (m²): 0.385	Quantity of flue gas discharged into atmosphere (Nm³/h): 8983.71		Dust emission rate of PM (Kg/hr): 0.515
Discipline	Chemical			
Product category	Atmospheric Pollution			
Amendment No & date	--			

RESULTS

RESULTS				
Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm ³	57.35	150 ^a
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	23.82	300 ^{**}
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	17.34	600 ^{**}

INFERENCE	*As per Tolerance Limit, Report Status: - The measured value for Particulate Matter is within the standard. **As per Gazette of India, MoEF& CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards
-----------	---

End of Report

Amulya V.K.
(Authorized Signatory)

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters.
2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded.
6. Complaint register is available at the laboratory at the reception

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260001942-1	Test report issue date	14.02.2026
Sample code Number	EHSRDC/RLFC/S/26/02/1942	ULR Number	TC1384526000001942F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	DG Set 1010 KVA
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	11.02.2026
		Date of start of analysis	11.02.2026
		Date of completion of analysis	14.02.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	10.02.2026		
General Details	Ambient temperature (°C): 32 Stack temperature (°C): 186 Cross section area (m²): 0.085 Quantity of flue gas discharged into atmosphere (Nm³/h): 1907.41 Velocity (m/s): 9.327 Diameter (m): 0.33		
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	KSPCB Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	24.92	150
Oxides of Nitrogen as NO₂	IS: 11255, part 7	mg/Nm³	17.60	Not Specified
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	12.68	Not Specified

INFERENCE	As per KSPCB Tolerance Limit, Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.
-----------	---

Verified by

End of Report

Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to Invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception



P 080 23012100
M 76194 76407

E : ehsrdc2010@gmail.com
ehsrdc2010@ehsrdc.in
W : www.ehsrdc.in

EHSDC ENVIRONMENTAL HEALTH AND SAFETY RESEARCH AND DEVELOPMENT CENTRE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಇವಚ್‌ಎಸ್‌ಆರ್‌ಡಿಸಿ ಎನ್ವಿರಾನ್‌ಮೆಂಟಲ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ
(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

ಐಇಎಚ್‌ಎಸ್‌ಆರ್‌ಡಿಸಿ ಏನ್‌ವಾಯರ್‌ಮೆಂಟಲ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ
(ಪರ्याವರಣ (ಸಂರಕ್ಷಣಾ) ಅಧಿನಿಯಮ, 1986 ಅನುಕೂಲ 12 ಕೆ ಛಾಫ್ ಮಾನ್ಯತಾ ಗ್ರಾಂತ್ ಪ್ರಯೋಗಾಲಯ) ನ್ಯು ದಿಲ್ಲಿ.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯ ರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, IS 7 / IEC 17025 : 2017 Accredited Testing Laboratory by NAB

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSDC LLP20260001943-1	Test report issue date	14.02.2026
Sample code Number	EHSDC/RLFC/S/26/02/1943	ULR Number	TC1384526000001943F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process Scrubber-2(Block- A)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	11.02.2026
		Date of start of analysis	11.02.2026
		Date of completion of analysis	14.02.2026
Sample collected by	EHSDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	10.02.2026		
General Details	Ambient temperature (°C): 29 Stack temperature (°C): 40 Cross section area (m²): 0.138	Velocity (m/s): 6.490 Quantity of flue gas discharged into atmosphere (Nm³/h): 3121.66	Diameter (m): 0.42 Dust emission rate of PM (Kg/hr): 0.046
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	14.72
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	10.36
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	9.02
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	6.45
Ammonia	IS: 11255, part 6	mg/Nm³	1.54

Charan
Verified by

End of Report

Amulya V.K.
Amulya V.K.
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



EHSRD ENVIRONMENTAL HEALTH AND SAFETY
RESEARCH & DEVELOPMENT CENTRE LLP
P 080 23012100
M 76194 76407

E : ehsrdc2010@gmail.com
ehsrdc2010@ehsrdc.in
W : www.ehsrdc.in

ENSRDC ENVIRONMENTAL HEALTH AND SAFETY RESEARCH AND DEVELOPMENT CENTRE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986 New Delhi.
ಇವಿಚ್ಛಾ ವರ್ಗದಡಿ ವಿಸ್ತರಿಸಿದ ಮೆಂಬರ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್ ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್ ಎಲ್ ಪಿ
(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ಸಹ ದೆಹಲಿ.
ಐಇಎಚ್‌ಎಸ್‌ಆರ್‌ಡಿಸಿಐ ಉದ್ವಾರಮೆಂಟಲ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್ ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್ ಎಲ್ ಪಿ
(ಪರ्याವರಣ (ಸಂರಕ್ಷಣಾ) ಅಧಿನಿಯಮ, 1986 ಅನುಬಂಧ 12 ಕ್ಕೆ ಧಾರಾ ಮಾನ್ಯತೆ ಪ್ರಾಪ್ತ ಪ್ರಯೋಗಶಾಲಾ) ನ್ಯು ದಿಲ್ಲಿ.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NAB

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260001944-1	Test report issue date	14.02.2026
Sample code Number	EHSRDC/RLFC/S/26/02/1944	ULR Number	TC1384526000001944F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	11.02.2026
		Date of start of analysis	11.02.2026
		Date of completion of analysis	14.02.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	10.02.2026		
General Details	Ambient temperature (°C): 30 Stack temperature (°C): 43 Cross section area (m²): 0.173 Quantity of flue gas discharged into atmosphere (Nm³/h): 3958.03	Velocity (m/s): 6.612 Diameter (m): 0.47 Dust emission rate of PM (Kg/hr): 0.065	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	16.48
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	14.50
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	10.77
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	7.10
Ammonia	IS: 11255, part 6	mg/Nm³	2.18

Chandras
Verified by

End of Report

Amulya V K
Amulya V K
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260001945-1	Test report issue date	14.02.2026
Sample code Number	EHSRDC/RLFC/S/26/02/1945	ULR Number	TC1384526000001945F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikcaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample Emissions from	Source emission	Monitoring location	Process scrubber-2(Block-C)
Particulars of sample collected	stack collected through Stack Sampler VSS1	Date of receipt of sample	11.02.2026
		Date of start of analysis	11.02.2026
		Date of completion of analysis	14.02.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	10.02.2026		
General Details	Ambient temperature (°C): 30	Stack temperature (°C): 42	Velocity (m/s): 6.647
	Cross section area (m ²): 0.173	Quantity of flue gas discharged into atmosphere (Nm ³ /h): 3991.37	Dust emission rate of PM (Kg/hr): 0.048
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	12.04
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	13.25
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	8.82
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	5.66
Ammonia	IS: 11255, part 6	mg/Nm ³	1.79

Chandray
Verified by

End of Report

Amulya V.K.
(Authorized Signatory)

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters. 2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded. 6. Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260003502-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/S/26/03/3502	ULR Number	TC1384526000003502F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Boiler
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
General Details	Ambient temperature (°C): 28 Stack temperature (°C): 130 Cross section area (m²): 0.385	Velocity (m/s): 7.58 Quantity of flue gas discharged into atmosphere (Nm³/h): 7849.08	Diameter (m): 0.70 Dust emission rate of PM (Kg/hr): 0.410
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	52.25	150*
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	27.96	300**
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	19.49	600**

INFERENCE

*As per Tolerance Limit,
Report Status: - The measured value for Particulate Matter is within the standard.
**As per Gazette of India, MoEF& CC G.S.R. 96(E): The measured values for SO₂ and Oxides of Nitrogen are within the said standards


Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260003503-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/S/26/03/3503	ULR Number	TC1384526000003503F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikdaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	DG Set 1010 KVA
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
General Details	Ambient temperature (°C): 28 Cross section area (m²): 0.085	Stack temperature (°C): 248 Quantity of flue gas discharged into atmosphere (Nm³/h): 1554.42	Velocity (m/s): 8.74 Diameter (m): 0.33 Dust emission rate of PM (Kg/hr): 0.033
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result	KSPCB Tolerance Limit
Particulate Matter	IS: 11255, part 1	mg/Nm³	21.25	150
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	15.53	Not Specified
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	11.05	Not Specified

INFERENCE	As per KSPCB Tolerance Limit, Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.
------------------	---


Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಕಾಂಡು ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260003504-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/S/26/03/3504	ULR Number	TC1384526000003504F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chidamballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission	Monitoring location	Process Scrubber-2(Block- A)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
General Details	Ambient temperature (°C): 27 Stack temperature (°C): 36 Cross section area (m ²): 0.138 Quantity of flue gas discharged into atmosphere (Nm ³ /h): 3085.63 Dust emission rate of PM (Kg/hr): 0.042	Velocity (m/s): 6.37 Diameter (m): 0.42	
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	13.75
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	11.39
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	8.51
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	5.52
Ammonia	IS: 11255, part 6	mg/Nm ³	1.45


Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

ANALYSIS REPORT FOR SOURCE EMISSION				
Test report Number	EHSRDC LLP20260003505-1		Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/S/26/03/3505		ULR Number	TC13845260000035005F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Oowribidanur, Chikkaballapur Dist, Karnataka -561208.		Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Source emission		Monitoring location	Process scrubber-1(Block-B)
Particulars of sample collected	Emissions from stack collected through Stack Sampler VSS1		Date of receipt of sample	12.03.2026
			Date of start of analysis	12.03.2026
			Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.		Page No	1 of 1
Date of Monitoring	11.03.2026			
General Details	Ambient temperature (°C): 27	Stack temperature (°C): 38	Velocity (m/s): 6.60	Diameter (m): 0.47
	Cross section area (m²): 0.173	Quantity of flue gas discharged into atmosphere (Nm³/h): 3977.18		Dust emission rate of PM (Kg/hr): 0.083
Discipline	Chemical			
Product category	Atmospheric Pollution			
Amendment No & date	--			

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm ³	20.83
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm ³	16.57
Sulphur dioxide	IS: 11255, part 2	mg/Nm ³	9.82
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm ³	7.32
Ammonia	IS: 11255, part 6	mg/Nm ³	2.42

Handley
Verified by


Nethravathi L.
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters. 2. Sample(S) not drawn by us unless stated,
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded, 6. Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿವಾಹಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015 ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report


ANALYSIS REPORT FOR SOURCE EMISSION

Test report Number	EHSRDC LLP20260003506-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/S/26/03/3506	ULR Number	TC1384526000003506F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample Emissions from	Source emission	Monitoring location	Process scrubber-1(Block-C)
Particulars of sample collected	stack collected through Stack Sampler VSS1	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
General Details	Ambient temperature (°C): 27 Cross section area (m²): 0.173	Stack temperature (°C): 36 Quantity of flue gas discharged into atmosphere (Nm³/h): 3574.82	Velocity (m/s): 5.89 Diameter (m): 0.47 Dust emission rate of PM (Kg/hr): 0.063
Discipline	Chemical		
Product category	Atmospheric Pollution		
Amendment No & date	--		

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, part 1	mg/Nm³	17.71
Oxides of Nitrogen as NO ₂	IS: 11255, part 7	mg/Nm³	14.50
Sulphur dioxide	IS: 11255, part 2	mg/Nm³	10.44
Acid Mist (as sulphuric acid)	EPA Method (8)	mg/Nm³	6.81
Ammonia	IS: 11255, part 6	mg/Nm³	1.72


Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Annexure –VI

**ONLINE CONTINUOUS EFFLUENT MONITORING
SYSTEM**


RI FINE CHEM PVT. LTD.
Plot No. 14-77-23, MIDC Industrial Area,
Tal. Puna, Haveri District-591301
Karnataka-591301, Gadag District-591301
Karnataka-591301, Gadag District-591301

- Device Tree
- EnviroConnect Home
 - R L Fine Chem Pvt. Ltd Unit - 1
 - RLEONE
 - ETP Outlet
 - PIEE condensate detector
 - Camera at Treated efflu

R L Fine Chem Pvt. Ltd - Pharmaceuti... , Kudumalakunte - ETP Outlet

Output Data View

ETP Outlet As of 15-05-2025 10:40:00 (Instantaneous)



Current Data

ETP Outlet As of 15-05-2025 10:40:00 (Instantaneous)
15-05-2025 10:40:00 (5 minute averages)

Parameter	Instantaneous Value	Average	Flag	Permissible Range	Unit
Daily Totalizer	0.00	0.00	0.00	0 - 43	m³/day
Flow	0.00	0.00	0.00		m³/hr



Device Tree

- EnviroConnect Home
- R.L. Fine Chem Pvt. Ltd Unit - 1
 - RTU/THC
 - ETP Outlet
 - MEE condensate dischar
 - Camera at Treated efflu

R.L. Fine Chem Pvt. Ltd. - Pharmaceuticals, Kudumalakuate - MEE cond...

Current Data Based

MEE condensate discharge as of 12-05-2025 10:48:00 (Instantaneous)



Flow (m3/hr)

Current Data

MEE condensate discharge As of 12-05-2025 10:48:00 (Instantaneous)
12-05-2025 10:48:00 (5 minute average)

Parameter	Instantaneous Value	Average	Flag	Permissible Range	Unit
Flow	0.00	0.00			m3/hr

Reports

Alerts - All Devices

Copyright © 2015 A. Ascent Information Pvt. Ltd. All Rights Reserved.

About Contact Us

< > < >

Device Tree

EnviroConnect Home

R L Fine Chem Pvt. Ltd Unit - 1

RLFINE

ETP Outlet

MEE condensate discharge

Camera at treated efflu

R L Fine Chem Pvt. Ltd - Pharmaceuti... , Kudumalakunte - Camera at...

Live Video Streaming

Please wait for a while...

Camera Information

Flow Meter Location	Camera at treated effluent water discharge
Camera Location	CP Plot
Model	CP-0094-391101-33.2
Model	
Connection	
Manufacturer	
Installation Date	26-11-2017 09:34:59
Is Data and Pms Available	
Is Night Vision Available	



Reports

Alerts - All Devices

Copyright © 2018 // Ascend Intelligence Pvt. Ltd., Pune All Rights Reserved.

About | Contact Us



P 080 23012100
M 76194 76407

E : ehsrdc2010@gmail.com
ehsrdc2010@ehsrdc.in
W : www.ehsrdc.in

EHSRDC ENVIRONMENTAL HEALTH AND SAFETY RESEARCH AND DEVELOPMENT CENTRE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.
ಇವಿಜ್ಞಾಪನಾಡಿ ವಿನ್ಯಾಸಮಂಟರ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ
(ಪರಿಸರ (ಸಂರಕ್ಷಣೆ) ಕಾಯ್ದೆ 1986 ರ ಕೆಲವು 12 ರನ್ವಿತಾನ್ವಿತ ಪದದ ಪ್ರಯೋಗಾಲಯ) ಸಹ ದೆಹಲಿ.

ಐಇಸಿಆರ್‌ಡಿಎಸ್‌ಐ ಎನ್‌ವಾಯರ್ಮೆಂಟ್ ಹೆಲ್ತ್ ಅಂಡ್ ಸೇಫ್ಟಿ ರಿಸರ್ಚ್ ಅಂಡ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಸೆಂಟರ್ ಎಲ್‌ಎಲ್‌ಪಿ
(ಪರ್ಯವೇಷಣೆ (ಸಂರಕ್ಷಣೆ) ಅಧಿನಿಯಮ, 1986 ಅನುಬಾಂ 12 ಕೆಲವು ಭಾಷಾ ಮಾನ್ಯತಾ ಪ್ರಾಪ್ತ ಪ್ರಯೋಗಾಲಯ) ನ್ಯು ದೆಹಲಿ.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF EFFLUENT QUALITY

Test report Number	EHSRDC LLP202500011376-1	Test report issue date	30.10.2025
Sample code Number	EHSRDC/RLFC/WW/25/10/11376	ULR Number	TC1384525000011376F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the Location	ETP Outlet	Date of receipt of sample	25.10.2025
Particulars of sample collected	ETP Treated Water, Grab Sampling	Date of start of analysis	25.10.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of completion of analysis	30.10.2025
Date of Monitoring	24.10.2025	Page No	1 of 1
Discipline	Chemical		
Product category	Pollution and Environment		
Amendment No & date	--		

Sl. No	Parameters	Test Method	Unit	Result	Tolerance Limit
1.	pH value	APHA 4500H ⁺ B	--	7.51	6.0 - 8.5
2.	B.O.D (3 days @ 27°C)	APHA 5210 B	mg/L	26	30
3.	Chemical Oxygen Demand	APHA5220 B	mg/L	120	250
4.	Total Dissolved Solids	APHA 2540 C	mg/L	1980	2100
5.	Total Suspended Solids	APHA 2540 D	mg/L	72	100
6.	Mercury as Hg	IS 3025(Part 48)-1994RA-2019	mg/L	BDL	0.01
7.	Total Chromium	IS 3025(Part 2) 2019	mg/L	0.01	Not Specified
8.	Lead as Pb	IS 3025(Part 2) 2019	mg/L	BDL	0.10
9.	Phenolic Compounds	APHA5530 C	mg/L	0.029	1.0
10.	Sulphide as S ²⁻	APHA4500-S ²⁻ E	mg/L	1.2	2.0
11.	Phosphate as PO ₄	APHA 4500- P D	mg/L	3.37	5.0
12.	Oil and Grease	APHA 5520 B	mg/L	BDL	10
13.	Arsenic as As	IS 3025(Part 2) 2019	mg/L	BDL	0.20
14.	Cyanide as CN	APHA 4500-CN D	mg/L	BDL	0.10

BOD - Biological Oxygen Demand, BDL: Below Detectable Limit.

INFERENCE

As per Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Thejaswi N
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF EFFLUENT QUALITY

Test report Number	EHSDC LLP202500013196-1	Test report issue date	29.11.2025
Sample code Number	EHSDC/RLFC/WW/25/11/13196	ULR Number	TC1384525000013196F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the Location	ETP Outlet	Date of receipt of sample	25.11.2025
Particulars of sample collected	ETP Treated Water, Grab Sampling	Date of start of analysis	25.11.2025
Sample collected by	EHSDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of completion of analysis	29.11.2025
Date of Monitoring	24.11.2025	Page No	1 of 1
Discipline	Chemical		
Product category	Pollution and Environment		
Amendment No & date	--		

Sl. No	Parameters	Test Method	Unit	Result	Tolerance Limit
1.	pH value	APHA 4500H+ B	--	7.24	6.0 - 8.5
2.	B.O.D (3 days @ 27°C)	APHA 5210 B	mg/L	2.4	30
3.	Chemical Oxygen Demand	APHA5220 B	mg/L	8	250
4.	Total Dissolved Solids	APHA 2540 C	mg/L	227.0	2100
5.	Total Suspended Solids	APHA 2540 D	mg/L	6	100
6.	Mercury as Hg	IS 3025(Part 48)-1994RA-2019	mg/L	BDL	0.01
7.	Total Chromium	IS 3025(Part 2) 2019	mg/L	0.01	Not Specified
8.	Lead as Pb	IS 3025(Part 2) 2019	mg/L	BDL	0.10
9.	Phenolic Compounds	APHA5530 C	mg/L	BDL	1.0
10.	Sulphide as S ²⁻	APHA4500-S ²⁻ E	mg/L	BDL	2.0
11.	Phosphate as PO ₄	APHA 4500- P D	mg/L	0.10	5.0
12.	Oil and Grease	APHA 5520 B	mg/L	BDL	10
13.	Arsenic as As	IS 3025(Part 2) 2019	mg/L	BDL	0.20
14.	Cyanide as CN	APHA 4500-CN D	mg/L	BDL	0.10
BOD - Biological Oxygen Demand, BDL: Below Detectable Limit.					

INFERENCE

As per Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

End of Report

Concern towards protecting Environment

Thejawi N
(Authorized Signatory)

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF EFFLUENT QUALITY

Test report Number	EHSDC LLP202500014667-1	Test report issue date	24.12.2025
Sample code Number	EHSDC/RLFC/WW/25/12/14667	ULR Number	TC1384525000014667F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the Location	ETP Outlet	Date of receipt of sample	19.12.2025
Particulars of sample collected	ETP Treated Water, Grab Sampling	Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Product category	Pollution and Environment		
Amendment No & date	--		

Sl. No	Parameters	Test Method	Unit	Result	Tolerance Limit
1.	pH value	APHA 4500H+ B	--	7.42	6.0 - 8.5
2.	B.O.D (3 days @ 27°C)	APHA 5210 B	mg/L	12.5	30
3.	Chemical Oxygen Demand	APHA5220 B	mg/L	48	250
4.	Total Dissolved Solids	APHA 2540 C	mg/L	461	2100
5.	Total Suspended Solids	APHA 2540 D	mg/L	7	100
6.	Mercury as Hg	IS 3025(Part 48)-1994RA-2019	mg/L	BDL	0.01
7.	Total Chromium	IS 3025(Part 2) 2019	mg/L	0.032	Not Specified
8.	Lead as Pb	IS 3025(Part 2) 2019	mg/L	BDL	0.10
9.	Phenolic Compounds	APHA5530 C	mg/L	0.006	1.0
10.	Sulphide as S ²⁻	APHA4500-S ²⁻ E	mg/L	BDL	2.0
11.	Phosphate as PO ₄	APHA 4500- P D	mg/L	BDL	5.0
12.	Oil and Grease	APHA 5520 B	mg/L	BDL	10
13.	Arsenic as As	IS 3025(Part 2) 2019	mg/L	BDL	0.20
14.	Cyanide as CN	APHA 4500-CN D	mg/L	BDL	0.10

BOD - Biological Oxygen Demand, BDL: Below Detectable Limit.

INFERENCE

As per Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Verified by

End of Report

Thejaswi N
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF EFFLUENT QUALITY

Test report Number	EHSRDC LLP2026000920-1	Test report issue date	23.01.2026
Sample code Number	EHSRDC/RLFC/WW/26/01/920	ULR Number	TC1384526000000920F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumastakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the Location	ETP Outlet		
Particulars of sample collected	ETP Treated Water, Grab Sampling	Date of receipt of sample	19.01.2026
		Date of start of analysis	19.01.2026
		Date of completion of analysis	23.01.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	19.01.2026		
Discipline	Chemical		
Product category	Pollution and Environment		
Amendment No & date	--		

Sl. No	Parameters	Test Method	Unit	Result	Tolerance Limit
1.	pH value	APHA 4500H ⁺ B	--	6.50	6.0 - 8.5
2.	B.O.D (3 days @ 27°C)	IS 3025 Part 44	mg/L	4.5	30
3.	Chemical Oxygen Demand	APHA5220 B	mg/L	16.0	250
4.	Total Dissolved Solids	APHA 2540 C	mg/L	52.0	2100
5.	Total Suspended Solids	APHA 2540 D	mg/L	6	100
6.	Mercury as Hg	IS 3025(Part 48)-1994RA-2019	mg/L	BDL	0.01
7.	Total Chromium	IS 3025(Part 2) 2019	mg/L	BDL	Not Specified
8.	Lead as Pb	IS 3025(Part 2) 2019	mg/L	BDL	0.10
9.	Phenolic Compounds	APHA5530 C	mg/L	BDL	1.0
10.	Sulphide as S ²⁻	APHA4500-S ²⁻ E	mg/L	BDL	2.0
11.	Phosphate as PO ₄	APHA 4500- P D	mg/L	0.13	5.0
12.	Oil and Grease	APHA 5520 B	mg/L	BDL	10
13.	Arsenic as As	IS 3025(Part 2) 2019	mg/L	BDL	0.20
14.	Cyanide as CN	APHA 4500-CN D	mg/L	BDL	0.10

BOD - Biological Oxygen Demand, BDL: Below Detectable Limit.

INFERENCE

As per Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Verified by

End of Report

Thejaswi N
(Authorized Signatory)

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore Jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಕಾಶನಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

ANALYSIS REPORT OF EFFLUENT QUALITY

Test report Number	EHSRDC LLP20260003515-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/WW/26/03/3515	ULR Number	TC1384526000003515F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADE Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the Location	ETP Outlet		
Particulars of sample collected	ETP Treated Water, Grab Sampling	Date of receipt of sample	12.03.2026
		Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Product category	Pollution and Environment		
Amendment No & date	--		

Sl. No	Parameters	Test Method	Unit	Result	Tolerance Limit
1.	pH value	APHA 4500H ⁺ B	--	7.62	6.0 – 8.5
2.	B.O.D (3 days @ 27°C)	IS 3025 Part 44	mg/L	4.5	30
3.	Chemical Oxygen Demand	APHA5220 B	mg/L	16.0	250
4.	Total Dissolved Solids	APHA 2540 C	mg/L	555	2100
5.	Total Suspended Solids	APHA 2540 D	mg/L	6	100
6.	Mercury as Hg	IS 3025(Part 48)-1994RA-2019	mg/L	BDL	0.01
7.	Total Chromium	IS 3025(Part 2) 2019	mg/L	0.01	Not Specified
8.	Lead as Pb	IS 3025(Part 2) 2019	mg/L	BDL	0.10
9.	Phenolic Compounds	APHA5530 C	mg/L	BDL	1.0
10.	Sulphide as S ²⁻	APHA4500-S ²⁻ E	mg/L	BDL	2.0
11.	Phosphate as PO ₄	APHA 4500- P D	mg/L	BDL	5.0
12.	Oil and Grease	APHA 5520 B	mg/L	BDL	10
13.	Arsenic as As	IS 3025(Part 2) 2019	mg/L	BDL	0.20
14.	Cyanide as CN	APHA 4500-CN D	mg/L	BDL	0.10

BOD - Biological Oxygen Demand, BDL: Below Detectable Limit.

INFERENCE

As per Tolerance Limit,

Report Status: - The measured values for the above parameters for those standards have been specified are within the said standards.

Verified by

Thejaswi N
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:



1. The results refer only to the tested samples & applicable parameters. 2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore Jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded. 6. Complaint register is available at the laboratory at the reception.

Annexure –VIII

RAINWATER HARVESTING SYSTEM

REKHA ENGINEERING PVT. LTD.
C-10, 2nd Floor, Sector-10, Gurgaon
Haryana-122001
Phone: 0124-4012345
Fax: 0124-4012346
E-mail: rekha@rekhaengg.com

Annexure-VIII
Rainwater harvesting system



Annexure –IX

DG SET ENCLOSURE AND STACK

POLYMER CHEM PVT. LTD.
C-10, GATE NO. 10, SECTOR 10, INDUSTRIAL AREA,
PHASE II, Gurgaon, Haryana 122001
INDIA
Tel: 01292-301001
Fax: 01292-301002
E-mail: info@polymerchem.com

Annexure - IX

DG set acoustic enclosure and stack



Annexure - IX

DG set acoustic enclosure and stack



NOISE LEVEL MONITERING REPORT

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.
ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL.

Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

Test report Number	EHSRDC LLP202500014659-14662-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/N/25/12/14659-14662	ULR Number	TC1384525000014659F to TC1384525000014662F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Noise	Date of receipt of sample	19.12.2025
Particulars of sample collected	Ambient Noise Level collected through Sound Level Meter C-322	Date of start of analysis	19.12.2025
		Date of completion of analysis	24.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Protocol	IS 9989		
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Group	Atmospheric Pollution		

Code No	Sample Location	Time Frequency	Parameters in dB(A)	CPCB Std.
			Leq	
14659	IP Near Gate No-1	09:15am to 05:15pm	70.46	75.0 dB(A) Day
14660	IP Near Block B	09:20am to 05:20pm	67.74	
14661	IP Near ETP Area	09:25am to 05:25pm	66.87	
14662	IP Near Production Block-A	09:30am to 05:30pm	69.79	
IP – Industry Premises				

Note:

- Day Time is reckoned between 6:00 A.M and 10:00 P.M
- Leq: It is energy mean of the noise level over a specified period.
- *dB (A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- A "decibel" is a unit in which noise is measured.
- "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to Frequency response characteristics of the human ear.

INFERENCE

As per CPCB Standards,

Report Status: - The measured values for above locations are within the standard.

Charalay
Verified by

Nethravathi L
Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

Test report Number	EHSRDC LLP202500014663-14666-1	Test report issue date	24.12.2025
Sample code Number	EHSRDC/RLFC/N/25/12/14663-14666	ULR Number	TC1384525000014663F to TC1384525000014666F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Noise	Date of receipt of sample	19.12.2025
Particulars of sample collected	Ambient Noise Level collected through Sound Level Meter C-322	Date of start of analysis	19.12.2025
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Date of completion of analysis	24.12.2025
Protocol	IS 9989	Page No	1 of 1
Date of Monitoring	18.12.2025		
Discipline	Chemical		
Group	Atmospheric Pollution		

Code No	Sample Location	Time Frequency	Parameters in dB(A)	CPCB Std.
14663	IP Near Gate No-1	10:05pm to 6:00am	Leq	
14664	IP Near Block B	10:10pm to 6:00am	64.51	
14665	IP Near ETP Area	10:15pm to 6:00am	62.55	
14666	IP Near Production Block-A	10:20pm to 6:00am	60.31	
			61.38	70.0 dB(A) Night

IP - Industry Premises

Note:

- Night Time is reckoned between 10:01 P.M and 06:00 A.M
- Leq: It is energy mean of the noise level over a specified period.
- *dB (A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- A "decibel" is a unit in which noise is measured.
- "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to Frequency response characteristics of the human ear.

INFERENCE

As per CPCB Standards,

Report Status: - The measured values for above locations are within the standard.

Verified by

Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

Test report Number	EHSRDC LLP20260003507-3510-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/N/26/03/3507-3510	ULR Number	TC1384526000003507F to TC1384526000003510F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikdaballapur Dist, Karnataka -561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Noise	Date of receipt of sample	12.03.2026
Particulars of sample collected	Ambient Noise Level collected through Sound Level Meter C-322	Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Protocol	IS 9989		
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		

Code No	Sample Location	Time Frequency	Parameters in dB(A)	CPCB Std.
			Leq	
3507	IP Near Gate No-1	10:00am to 06:00pm	72.50	75.0 dB(A) Day
3508	IP Near Block B	10:05am to 06:05pm	69.62	
3509	IP Near ETP Area	10:10am to 06:10pm	70.88	
3510	IP Near Production Block-A	10:15am to 06:15pm	71.96	
IP – Industry Premises				

Note:

- Day Time is reckoned between 6:00 A.M and 10:00 P.M
- Leq is energy mean of the noise level over a specified period.
- *dB (A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- A "decibel" is a unit in which noise is measured.
- *A" in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to Frequency response characteristics of the human ear.

INFERENCE

As per CPCB Standards,

Report Status: - The measured values for above locations are within the standard.


Verified by


Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Office Address : No.13/2, 1st Main Road, Near Fire Station, Industrial Town, Rajajinagar, Bangalore - 560 010.

ಕಛೇರಿ ವಿಳಾಸ : ನಂ. 13/2, 1ನೇ ಮುಖ್ಯರಸ್ತೆ, ಅಗ್ನಿಶಾಮಕ ಕಛೇರಿ ಹತ್ತಿರ, ಇಂಡಸ್ಟ್ರಿಯಲ್ ಟೌನ್, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು - 560 010

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018, ISO / IEC 17025 : 2017 Accredited Testing Laboratory by NABL

Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

Test report Number	EHSRDC LLP20260003511-3514-1	Test report issue date	16.03.2026
Sample code Number	EHSRDC/RLFC/N/26/03/3511-3514	ULR Number	TC1384526000003511F to TC1384526000003514F
Name and address of customer with contact details	M/s. R L Fine Chem Pvt. Ltd. Plot No: IP-27-29, KIADB Industrial Area, 1 st Phase, Kudumalakunte Village, Gowribidanur, Chikkaballapur Dist, Karnataka - 561208.	Reference to Work order/ Client request letter/ Purpose of the report	POGB24/24202170, Dated: 19-March-2025
Name of the sample	Ambient Noise	Date of receipt of sample	12.03.2026
Particulars of sample collected	Ambient Noise Level collected through Sound Level Meter C-322	Date of start of analysis	12.03.2026
		Date of completion of analysis	16.03.2026
Sample collected by	EHSRDC Environmental Health and Safety Research & Development Centre LLP, Bangalore - 560010.	Page No	1 of 1
Protocol	IS 9989		
Date of Monitoring	11.03.2026		
Discipline	Chemical		
Group	Atmospheric Pollution		

Code No	Sample Location	Time Frequency	Parameters in dB(A)	CPCB Std.
			Leq	
3511	IP Near Gate No-1	10:00pm to 6:00am	60.98	70.0 dB(A) Night
3512	IP Near Block B	10:05pm to 6:00am	64.73	
3513	IP Near ETP Area	10:10pm to 6:00am	61.59	
3514	IP Near Production Block-A	10:15pm to 6:00am	62.33	
IP – Industry Premises				

Note:

- Night Time is reckoned between 10:01 P.M and 06:00 A.M
- Leq: It is energy mean of the noise level over a specified period.
- *dB (A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- A "decibel" is a unit in which noise is measured.
- "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to Frequency response characteristics of the human ear.

INFERENCE

As per CPCB Standards,

Report Status: - The measured values for above locations are within the standard.

Verified by

Nethravathi L
(Authorized Signatory)

End of Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to involved amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.

Annexure –XI

**HAZARDOUS CHEMICALS ARE STORED IN TANK
AND FLAME ARRESTOR**

Annexure - XI

Flame arrester Provision for solvent storage tank



Annexure -XII

GREEN BELT DEVELOPMENT

Annexure - XII
Green Belt Development



Annexure - XII
Green Belt Development



Annexure - XII
Green Belt Development



Annexure -XIII

FIRE HYDRANT & EXTINGUISHERS LIST

RI. FIRE CHRM SVT. LTD.

Annexure - XIII

List of Fire Extinguishers

S.NO	F/E NO.	DEPARTMENT	LOCATION	TYPE OF FIRE EXTINGUISHER	43	BLOCK A	Pharma near ACF-05	M-FOAM	9LTR
1	Security	Security room entrance	ABC	9KG	44	BLOCK A	FF Pharma near AR-10 reactor	ABC	9KG
2	Engineering	Transformer yard entrance	CO2	4.5KG	45	BLOCK A	FF Pharma near AR-10 reactor	M-FOAM	9LTR
3	Engineering	Transformer yard entrance	ABC	9KG	46	BLOCK A	GF Pharma near ACF-06	M-FOAM	9LTR
4	QC	GC LAB	CO2	4.5KG	47	BLOCK A	FF Pharma near AR-20 reactor	ABC	9KG
5	QC	HPLC LAB	M-FOAM	9LTR	48	BLOCK A	FF Pharma near AR-20 reactor	M-FOAM	9LTR
6	QC	HPLC LAB	CO2	4.5KG	49	BLOCK A	GF Pharma near AANFD-01 Area	ABC	9KG
7	QC	GC lab behind electrical panel room	CO2	4.5KG	50	BLOCK A	FF Pharma near AR-19 reactor	M-FOAM	9LTR
8	Training hall	Training hall	CO2	4.5KG	51	BLOCK A	FF Pharma near AR-19 reactor	ABC	9KG
9	FF Office	Conference hall entrance	CO2	4.5KG	52	BLOCK A	GF Pharma near ACF-04	ABC	9KG
10	QC	QC first floor Wet lab	CO2	4.5KG	53	BLOCK A	FF Pharma near AR-9 reactor	ABC	9KG
11	QC	QC first floor Wet lab	M-FOAM	9LTR	54	BLOCK A	FF Pharma near AR-9 reactor	M-FOAM	9LTR
12	QA	SF QA office room	CO2	4.5KG	55	BLOCK A	FF Near AML-1 Lift first floor	M-FOAM	50LTR
13	QA	SF QA office room	CO2	4.5KG	56	BLOCK A	FF Near AML-1 Lift first floor	M-FOAM	50LTR
14	BLOCK A	FF Block-A Finished area	CO2	4.5KG	57	BLOCK A	FF Near ATD-3	ABC	9KG
15	QC	SF Stability room entrance	CO2	4.5KG	58	BLOCK A	FF Near ATD-4	ABC	9KG
16	BLOCK A	A3 clean room corridor area	CO2	4.5KG	59	BLOCK A	Intermediate area first floor near In-charge Desk	CO2	4.5KG
17	BLOCK A	A3 clean room inside drying room	ABC	9KG	60	BLOCK A	Intermediate area first floor near In-charge Desk	M-FOAM	9LTR
18	BLOCK A	A3 clean room inside milling area	ABC	9KG	61	BLOCK A	FF Near AR-01 Reactor area	CO2	4.5KG
19	BLOCK A	A3 clean room corridor area	CO2	4.5 KG	62	BLOCK A	FF Near AR-03 Reactor area	ABC	9KG
20	BLOCK A	A4 clean room corridor area	CO2	4.5 KG	63	BLOCK A	FF Near AR-04 Reactor area	M-FOAM	9LTR
21	BLOCK A	A4 clean room inside Drying area	ABC	9KG	64	BLOCK A	FF Near AR-14 Reactor area	M-FOAM	9LTR
22	BLOCK A	A4 clean room inside milling area	CO2	4.5 KG	65	BLOCK A	FF Near AR-13 Reactor area	M-FOAM	9LTR
23	BLOCK A	A4 clean room inside corridor area	DCP	25KG	66	BLOCK A	FF Near AR-12 Reactor area	CO2	4.5KG
24	BLOCK A	Near A-Block material exist	DCP	25KG	67	BLOCK A	SF Near AML1 lift	M-FOAM	50LTR
25	BLOCK A	Near A3 clean room	M-FOAM	153LTR	68	BLOCK A	SF Near AML-1 lift	M-FOAM	153LTR
26	BLOCK A	GF intermediate area entrance	CO2	4.5KG	69	BLOCK A	SF Near AML-1 lift	M-FOAM	R
27	BLOCK A	GF intermediate area entrance	M-FOAM	9LTR	70	BLOCK A	SF Near AR-08 Reactor area	M-FOAM	50LTR
28	BLOCK A	GF carbon storage room	ABC	9 KG	71	BLOCK A	SF Near AR-06 Reactor area	ABC	9KG
29	BLOCK A	RM day store room	M-FOAM	50LTR	72	BLOCK A	SF Near AR-16 Reactor area	CO2	4.5KG
30	BLOCK A	GF intermediate area entrance	M-FOAM	9LTR	73	BLOCK A	SF Near AR-18 Reactor area	CO2	4.5KG
31	BLOCK A	GF near material lift	CO2	4.5KG	74	BLOCK A	SF Near AR-18 Reactor area	ABC	9KG
32	BLOCK A	GF Near ACF-01 area	ABC	9KG	75	BLOCK A	A1 clean room corridor	CO2	4.5KG
33	BLOCK A	GF Near ACF-01 area	M-FOAM	9LTR	76	BLOCK A	A1 clean room inside milling area	ABC	9KG
34	BLOCK A	GF Near ACF-03 in Intermediate area	ABC	9 KG	77	BLOCK A	A1 clean room inside drying area	ABC	9KG
35	BLOCK A	GF Near ACF-07 intermediate area	CO2	4.5kg	78	BLOCK A	A1 clean room corridor	CO2	4.5KG
36	BLOCK A	GF Near ACF-07 intermediate area	M-FOAM	9LTR	79	BLOCK A	A2 clean room corridor	CO2	4.5KG
37	BLOCK A	GF near ACF-02	M-FOAM	153LTR	80	BLOCK A	A2 clean room inside milling area	ABC	9KG
38	BLOCK A	A-Block Rec solvent storage tanks area	M-FOAM	R	81	BLOCK A	A2 clean room inside drying area	ABC	9KG
39	BLOCK A	Near ACF-01 MLR tank outside	DCP	25KG	82	WARE HOUSE	A2 clean room corridor	CO2	4.5KG
40	BLOCK A	Near ACF-15 MLR tank outside	DCP	25KG			RMWH material storage area near material Exit.	DCP	50KG
41	BLOCK A	Pharma corridor	M-FOAM	9LTR					
42	BLOCK A	Pharma corridor	CO2	4.5KG					

Annexure - XIII

List of Fire Extinguishers

152	BLOCK B	SF intermediate area near BR-16	CO2	4.5KG	194	Packing Room	Terrace AHU area	ABC	9KG
153	BLOCK B	SF intermediate area near BR-16	ABC	9KG	195	BLOCK B	JET Mill area	ABC	6KG
154	BLOCK B	SF Block-B intermediate area near BR-9	ABC	9KG	196	Block A	PD lab 3rd Floor	ABC	6KG
155	BLOCK B	SF Block-B intermediate area near BR-06	CO2	4.5KG	197	Block -B	EHS Lab	CO2	4.5KG
156	UTILITY	Entrance of DM plant	DCP	25KG	198	HVD	FF HVD	CO2	4.5KG
157	BLOCK B	Block-B pharma outside BCF-7 MLR tank	DCP	25KG	199	B Block	Recovered solvent drum shed	M-FOAM	9LTR
158	BLOCK B	B3 clean room corridor	CO2	4.5KG	200	Wire House	UG solvent storage tank	M-FOAM	9LTR
159	BLOCK B	B3 clean room inside drying room	ABC	9KG	201	C Block	GF outside entrance	M-FOAM	50LTR
160	BLOCK B	B3 clean room inside milling room	ABC	9KG	202	C Block	GF Entrance inside	M-FOAM	50LTR
161	BLOCK B	B3 clean room corridor	CO2	4.5KG	203	C Block	GF Near CML - 01 Lift	CO2	4.5KG
162	BLOCK B	B4 clean room corridor	CO2	4.5KG	204	C Block	Near CCF-2	M-FOAM	9LTR
163	BLOCK B	B4 clean room inside milling room	ABC	9KG	205	C Block	Near CCF-3	ABC	9kg
164	BLOCK B	B4 clean room inside drying room	ABC	9KG	206	C Block	Near CCF-4	ABC	9kg
165	BLOCK B	B4 clean room corridor	CO2	4.5KG	207	C Block	GF near emergency shower	M-FOAM	9LTR
166	BLOCK B	B4 clean room inside drying room	ABC	9KG	208	C Block	Electrical panel room inside	ABC	9kg
167	BLOCK B	Opposite HVD electrical panel room	CO2	4.5KG	209	C Block	Entrance TD-02 room	CO2	4.5KG
168	BLOCK B	B1 clean room corridor	CO2	4.5KG	210	C Block	Entrance TD-03 room	CO2	4.5KG
169	BLOCK B	B1 clean room inside drying room	ABC	9KG	211	C Block	FF near CML-01 Lift	CO2	4.5KG
170	BLOCK B	B1 clean room inside milling	ABC	9KG	212	C Block	FF near CR-23	M-FOAM	50LTR
171	BLOCK A	PD lab	CO2	4.5KG	213	C Block	FF near CR-22	ABC	9kg
172	UTILITY	Back Side D.G Room	CO2	4.5KG	214	C Block	FF near CR-16	M-FOAM	9LTR
173	UTILITY	Near main electrical control panel room	CO2	4.5KG	215	C Block	FF near CR-20	M-FOAM	9LTR
174	UTILITY	Near managers cabin	CO2	4.5KG	216	C Block	FF Intermediate storage area entrance	CO2	4.5KG
175	UTILITY	DM plant	ABC	9KG	217	C Block	FF inside Intermediate storage area	ABC	9kg
176	UTILITY	Near Brine plant	ABC	9KG	218	C Block	SF near CML -01 lift	CO2	4.5KG
177	UTILITY	Near Air compressor-2	M-FOAM	9LTR	219	C Block	SF near CR-3	M-FOAM	50LTR
178	BOILER	Near Boiler entrance	ABC	9KG	220	C Block	SF near CR-5	ABC	9kg
179	QC	QC chemical storage room 2nd Floor	CO2	4.5KG	221	C Block	SF near CR-6	M-FOAM	9LTR
180	BOILER	Near Boiler entrance	ABC	9KG	222	C Block	SF near CR-7	M-FOAM	50LTR
181	BOILER	Near THF Boiler Area	ABC	9KG	223	C Block	SF near CR-8	M-FOAM	9LTR
182	BOILER	Near Boiler-1 area	CO2	4.5KG	224	C Block	SF near CR-12	DCP	25KG
183	HVD	Near panel room behind Fire hydrant pump house	CO2	4.5KG	225	C Block	Near CCF-1 MLR tank	M-FOAM	9LTR
184	HVD	HVD Block entrance	DCP	25KG	226	C Block	Outside near CTD-01 area	DCP	25KG
185	HVD	HVD Block entrance	M-FOAM	50LTR	227	C Block	GF outside electrical panel room entrance	CO2	4.5KG
186	BLOCK A	Block-A Terrace electrical panel room	CO2	4.5KG	228	C Block	Near CCF-4 MLR tank	ABC	9kg
187	RM WH	RMWH office entrance	CO2	4.5KG	229	D Block	Near ccf-6 MLR tank	M-FOAM	9LTR
188	Control	FF Cauter entrance	CO2	4.5KG	230	D Block	Entrance	ABC	9kg
189	BLOCK A	Block-A Dispatch area Ground floor	CO2	4.5KG	231	D Block	Near DML-1 lift	CO2	4.5KG
190	BLOCK B	Block-B Terrace electrical panel room	CO2	4.5KG	232	D Block	Near DCF-01	M-FOAM	9LTR
191	BLOCK B	Near BR-3 first floor	ABC	9KG	233	D Block	FF Near DML-1 lift	DCP	25KG
192	Packing Room	Entrance inside	CO2	4.5KG	234	D Block	FF near D16	M-FOAM	50LTR
193	QA	QA document shell	CO2	4.5KG	235	D Block	FF near DR3	M-FOAM	9LTR
			CO2	4.5KG	236	D Block	FF near DR13	ABC	9kg
			CO2	4.5KG	237	D Block	GF Pharma DCF 5	M-FOAM	9LTR
			CO2	4.5KG	238	D Block			
			CO2	4.5KG	239	DI Pharma			

Department: EHSD

To be completed during the Preparation of Schedule				To be filled after completion of each Schedule						
S. No.	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
10.	01/10/2025 to 31/10/2025	1.Handling of Chemicals 2.First Aid 3.Accident and Incident Investigation 4.Fire Sand Bucket 5.Operation of Electronic Weighing Balance (Make: Essae)	1. Narayana Reddy G 2. D C Jamal Basha 3. Vijay	J Ravichandra Prasad	4086	26/10/2025	-	-	(Ragunath) 28/10/2025	-
				Chandrasekhar K G	4595	-	Absent	28/10/2025		
				V Harilal naik	4292	26/10/2025	-	-		
				Arikrishnan P	4841	Left	-	-		
				Sai Srinivas C	1945	26/10/2025	-	-		
				Nareesh A G	4854	26/10/2025	-	-		
				Mohammed Nayaz	4943	Left	-	-		
				Mohammed Sahil	4944	Left	-	-		
Latheef S	4946	-	Absent	28/10/2025						
Bibhuti Mahapatra	4955	Left	-	-						
Mahabaleshwara	4956	Left	-	-						

Training Schedule Pre-Approval			Training Schedule Post-Approval		
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Reviewed by (Head of the Department / Designee)	Approved by (Head QA / Designee)	
P. Anand 28/10/24 Sign & Date	[Signature] 28/10/24 Sign & Date	[Signature] 28/10/24 Sign & Date	[Signature] 28/10/24 Sign & Date	[Signature] 28/10/24 Sign & Date	

GP.QAD.025/A02-1.0

* Left the Organization.

RLC TRAINING SCHEDULE

Department: EHSD

To be completed during the Preparation of Schedule					To be filled after completion of each Schedule					
S. No.	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
11.	01/11/2025 to 30/11/2025	1.Compressed Gas Cylinder Safety 2.Chemical Segregation 3.Operation and Maintenance of Fire Hydrant System 4.Work Permit System 5.Handling of Narcotic Drugs and Psychotropic substances	1. Narayana Reddy G 2. D C Jamal Basha 3. Vijay	J Ravichandra Prasad	4086	26/11/2025	-	-	Regent 28/11/2025	
				Chandrasekhar K G	4595	26/11/2025	-	-		
				V Harilal naik	4292	-	Absent	27/11/2025		
				Arikrishnan P	4841	Left	-	-		
				Sai Srinivas C	1945	26/11/2025	-	-		
				Nareesh A G	4854	-	Absent	28/11/2025		
				Mohammed Nayaz	4943	Left	-	-		
				Mohammed Sahil	4944	Left	-	-		
				Latheef S	4946	-	Absent	27/11/2025		
				Bibhuti Mahapatra	4955	Left	-	-		
				Mahabaleshwara	4956	Left	-	-		

Training Schedule Pre-Approval				Training Schedule Post -Approval	
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Sign & Date	Reviewed by (Head of the Department / Designee)	Approved by (Head QA / Designee)
P. K. S. 27/11/24 Sign & Date	27/11/24 Sign & Date	27/11/2024 Sign & Date	27/11/2024 Sign & Date	27/11/2024 Sign & Date	27/11/2024 Sign & Date

GP.QAD.025/A02-1.0

* Left the Organization.

RLC TRAINING SCHEDULE

Department: EHSD

To be completed during the Preparation of Schedule						To be filled after completion of each Schedule				
S. No.	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
12.	01/12/2025 to 31/12/2025	1.Handling of Eye Wash Fountain, Eye Wash bottle and body Shower 2. Reading of flowmeter 3.Plant Shutdown and Restart 4.Self- Contained Breathing Apparatus 5. Fire Extinguisher Operation and Maintenance	1. Narayana Reddy G 2. D C Jamal Basha 3. Vijay	J Ravichandra Prasad	4086	23/12/2025	-	-	Rajesh	
				Chandrasekhar K G	4595	23/12/2025	-	-		
				V Harilal naik	4292	-	Absent	28/12/2025		
				Arikrishnan P	4841	Left	-	-		
				Sai Srinivas C	1945	23/12/2025	-	-		
				Nareesh A G	4854	-	Absent	28/12/2025		
				Mohammed Nayaz	4943	Left	-	-		
				Mohammed Sahil	4944	Left	-	-		
				Latheef S	4946	23/12/2025	-	-		
				Bibhuti Mahapatra	4955	Left	-	-		
				Mahabaleshwara	4956	Left	-	-		

Training Schedule Pre-Approval				Training Schedule Post-Approval	
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Sign & Date	Reviewed by (Head of the Department / Designee)	Approved by (Head QA / Designee)
P. M. 23/12/24 Sign & Date	28/12/24 Sign & Date	23/12/2024 Sign & Date	23/12/2024 Sign & Date	23/12/2025 Sign & Date	23/12/2026 Sign & Date

GP.QAD.025/A02-1.0

* Left the Organization.

Department: EHSD

To be completed during the Preparation of Schedule					To be filled after completion of each Schedule					
S.No	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
1.	01/01/2026 to 31/01/2026	1.Air Emission 2.Energy Control and Monitoring 3.Procedure for Handling of Acids 4. Specimen Signatures of Personnel 5. General Plant Safety	1. G Narayana Reddy 2. D C Jamal Basha 3. Vijay 4. M Raj Shekar Reddy 4.Hemanth Krishna 5.Anil Kanaparthi	A Naga Vidya Sagar	4973	-	-	-	-	Left
				Sai Srinivas C	1945	23/01/2026	-	-	Nagesh 23/01/2026	-
				Ravichandraprasad J	4086	23/01/2026	-	-	Nagesh 23/01/2026	-
				Vislath Harilal Naik	4292	23/01/2026	-	-	Nagesh 23/01/2026	-
				Chandrashekar K G	4595	-	-	27/01/2026	Nagesh 27/01/2026	-
				A G Naresh	4854	-	Absent	25/01/2026	Nagesh 25/01/2026	-
				Latheef S	4946	23/01/2026	-	-	Nagesh 23/01/2026	-
				Nagesh Kumar Yadav	4971	23/01/2026	-	-	Nagesh 23/01/2026	-
				Sujit Kumar Rout	5141	23/01/2026	-	-	Nagesh 23/01/2026	-
				Madhusudhana B P	5155	23/01/2026	-	-	Nagesh 23/01/2026	-

Training Schedule Pre-Approval			Training Schedule Post-Approval		
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Reviewed by (Head of the Department / Designee)	Approved by (Head QA/Designee)	
Sign & Date 21/12/25	Sign & Date 31/12/25	Sign & Date 21/12/25	Sign & Date	Sign & Date	Sign & Date

GP.QAD.025/A02-J.J

* Left the Organization.

MASTER COPY

RLFC YEARLY TRAINING SCHEDULE

Page 2 of 12

Department: EHSD

To be completed during the Preparation of Schedule					To be filled after completion of each Schedule					
S.No	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
2.	01/02/2026 to 28/02/2026	1.Medical Check Up 2.Emergency Response and Contingency Plan 3.Certificate of Analysis 4.Operation of Cooling Tower	1. Narayana Reddy G 2. D C Jamal Bashia 3. Vijay 4. M. Rajishekar Reddy	A Naga Vidya Sagar Sai Srinivas C Ravichandrasprasad J Visiath Harilal Naik Chandrashekar K G A G Nareesh Latheef S Nagesh Kumar Yadav Sujit Kumar Rout Madhusudhana B P	4973 1945 4086 4292 4595 4854 4946 4971 5141 5155	- 17/02/2026 17/02/2026 - 17/02/2026 17/02/2026 17/02/2026 - 17/02/2026 - 17/02/2026	- - - Absent - - Absent - Absent - -	- - - 22/02/2026 - - 22/02/2026 - 06/03/2026 - -	- Aggesth 17/02/26 Aggesth 17/02/26 Aggesth 22/02/26 Aggesth 17/02/26 Aggesth 17/02/26 Aggesth 22/02/26 Aggesth 17/02/26 Aggesth 06/03/26 Aggesth 17/02/26 -	* left - - - - - - - - - -

Training Schedule Pre-Approval				Training Schedule Post -Approval	
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Sign & Date	Reviewed by (Head of the Department / Designee)	Approved by (Head QA/Designee)
<i>[Signature]</i> 31/12/25	<i>[Signature]</i> 31/12/25	<i>[Signature]</i> 21/12/25	Sign & Date	Sign & Date	Sign & Date

GP.QAD.025/402-1.1

* Left the Organization.

RLFC YEARLY TRAINING SCHEDULE

Department: EHSD

To be completed during the Preparation of Schedule						To be filled after completion of each Schedule				
S.No	Scheduled Date	Training Topic	Trainer	Name of the trainee	Employee Code of Trainee	Training Completed on	Absentees	Training imparted to Absentees on	Updated by	Remarks
3.	01/03/2026 to 31/03/2026	1.Spill Control 2.Hazardous Waste Management 3.Hazardous Material Management Program 4. Handling of Rejected Materials & Storage	1. Narayana Reddy G 2. D C Jamal Basha 3. Vijay 4. M Rajshekar Reddy	A Naga Vidya Sagar	4973	-	-	-	-	* LCH
				Sai Srinivas C	1945	10/03/26	-	-	(Nagesh 10/03/26)	-
				Ravichandraprasad J	4086	10/03/26	-	-	(Nagesh 10/03/26)	-
				Vislath Harilal Naik	4292	-	Absent	27/03/2026	(Nagesh 27/03/2026)	-
				Chandrashekar K G	4595	10/03/26	-	-	(Nagesh 10/03/26)	-
				A G Naresh	4854	-	Absent	27/03/2026	(Nagesh 27/03/2026)	-
				Latheef S	4946	10/03/26	-	-	(Nagesh 10/03/26)	-
				Nagesh Kumar Yadav	4971	10/03/26	-	-	(Nagesh 10/03/26)	-
				Sujit Kumar Rout	5141	10/03/26	-	-	(Nagesh 10/03/26)	-
				Madhusudhana B P	5155	10/03/26	-	-	(Nagesh 10/03/26)	-

Training Schedule Pre-Approval				Training Schedule Post -Approval	
Prepared by (Department Training coordinator)	Reviewed by (Head of the Department / Designee)	Approved by (Head of the QA / Designee)	Reviewed by (Head of the Department / Designee)	Approved by (Head QA/Designee)	
Sign & Date 31/11/25	Sign & Date 31/11/25	Sign & Date 31/11/2025	Sign & Date	Sign & Date	Sign & Date

GP.QAD.025/A02-1.1

* Left the Organization.

Annexure-XV
EMP BUDGET BREAKUP

S.No	Description of Budget	Budget (in Lakhs Rs.)
1	Pollution control expenses (Environmental monitoring) (Soil analysis) (Borewell water analysis) (Waste oil analysis)	6.41
2	Hazardous waste disposal (28.1 SRP Residue Disposal) (28.3-Spent Carbon Disposal) (28.6-MEE Stripper Solvent Disposal) (33.1-Poly Bag Disposal) (35.3-Inorganic Salt from MEE Disposal)	95.26
3	MEE/ETP maintenance and revamping (additional Filter press) (additional RO Plant) (ETP/MEE Pumps repairing work) (additional diffuser fixing work) (additional storage tanks)	87.5
4	Safety Training and awareness (World Environment Day) (Fire Safety week Celebration) (Fire Fighting Training)	2.87

Total**192.04 Lakhs**

Annexure –XVI

RL-GB EC 2021 PAPER AD KANNADA AND ENGLISH

RL FINE CHEM PVT. LTD.
Hd. Engineering & Design Section
No. 100, Mysore Road, Bangalore - 560 029
Tel: 080-26000000, Fax: 080-26000001

Public, Ashwini's Family
from Coimbatore. Mother,
Shubalakshmi, is in Coimbatore.

Plea to cancel SSLC, PUC I exams

CHENNAI, June 13 The National Students' Union of India (NSUI) has issued a plea to the Government of Tamil Nadu to cancel the SSLC, PUC I and PUC II examinations.

The NSUI has issued a statement saying that the Government of Tamil Nadu should not conduct the SSLC, PUC I and PUC II examinations as the students are not in a position to appear for the exams.

The NSUI has also issued a statement saying that the Government of Tamil Nadu should not conduct the SSLC, PUC I and PUC II examinations as the students are not in a position to appear for the exams.

The NSUI has also issued a statement saying that the Government of Tamil Nadu should not conduct the SSLC, PUC I and PUC II examinations as the students are not in a position to appear for the exams.

NOTICE

The Tamil Nadu Government, through the Department of Education, has issued a notice to the students of the Government of Tamil Nadu to appear for the SSLC, PUC I and PUC II examinations.

The notice is issued to the students of the Government of Tamil Nadu to appear for the SSLC, PUC I and PUC II examinations.

Jain community is well-known for its philanthropy: Minister Sudhakar



Minister Sudhakar is seen with Jain community leaders during a meeting.

CHENNAI, June 13 Minister Sudhakar has said that the Jain community is well-known for its philanthropy. He said that the Jain community has been contributing to the society for a long time.

Minister Sudhakar has also said that the Jain community has been contributing to the society for a long time. He said that the Jain community has been contributing to the society for a long time.

Theft in school

CHENNAI, June 13 A theft of Rs 10,000 worth of gold jewelry was reported from a school in Chennai. The jewelry was stolen from a school bag.

The theft was reported by a school teacher. The jewelry was stolen from a school bag.

'APMC irregularities should be investigated by Lokayukta'

CHENNAI, June 13 The Tamil Nadu Government has issued a directive to the Lokayukta to investigate the irregularities in the APMC. The directive is issued to the Lokayukta to investigate the irregularities in the APMC.

The Tamil Nadu Government has issued a directive to the Lokayukta to investigate the irregularities in the APMC. The directive is issued to the Lokayukta to investigate the irregularities in the APMC.

The Tamil Nadu Government has issued a directive to the Lokayukta to investigate the irregularities in the APMC. The directive is issued to the Lokayukta to investigate the irregularities in the APMC.

The Tamil Nadu Government has issued a directive to the Lokayukta to investigate the irregularities in the APMC. The directive is issued to the Lokayukta to investigate the irregularities in the APMC.

COVID-19 DETAILS

Districts	June 13, 2021			Total		
	Cases	Deaths	Discharges	Cases	Deaths	Discharges
Tumakuru	352	03	1879	111855	977	104454
Kolar	164	02	475	41247	413	39843
Challaur	141	01	284	41802	351	38458

News paper: "DECCAN HERALD" [DATE: 14/06/2021, Monday] "Page No: 02"

Annexure –XVIII

DISPLAY BOARD FOR PUBLIC

PELFINE CHEM PVT. LTD.
Plot No. 25/2002, Sector, Industrial Area,
3rd Phase, Bhubaneswar-751005,
Odisha
E-mail: info@pelfinechem.com
Website: www.pelfinechem.com

RLFC		R. L. FINE CHEM PVT LTD. 201, No. 10, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 8	
-------------	--	--	--